

Standard 1.4.2

Maximum Residue Limits (Australia Only)

Purpose

This Standard lists the maximum permissible limits for agricultural and veterinary chemical residues present in food. Schedule 1 lists all of the agricultural and veterinary chemical limits in particular foods. If a maximum residue limit for an agricultural or veterinary chemical in a food is not listed in Schedule 1 there must be no detectable residues of that agricultural or veterinary chemical in that food. Schedule 2 lists all extraneous agricultural chemical limits in particular foods. If an extraneous residue limit for an agricultural chemical in a food is not listed in Schedule 2 there must be no detectable residues of that agricultural chemical in that food. Schedule 3 groups certain agricultural or veterinary chemicals according to their chemical groups. Commodity and commodity groups which are referred to in this Standard are listed in Schedule 4. Schedule 4 also specifies the part of the commodity to which the maximum or extraneous residue limit refers.

For New Zealand purposes, maximum residue limits for agricultural compounds are regulated in the New Zealand (Maximum Residue Limits of Agricultural Compounds) Mandatory Food Standard 1999 (and subsequent amendments) issued under sections 11C and 11Z of the Food Act 1981. Regulation 257 of the New Zealand Food Regulations 1984 also refers to MRLs, but if any inconsistency arises between Regulation 257 and the MRL Standard, the MRL Standard prevails.

Table of Provisions

- | | |
|---|--|
| 1 | Interpretation |
| 2 | Maximum residue limits |
| 3 | Extraneous residue limits |
| 4 | Determination of maximum and extraneous residue limits |

Schedules

- | | |
|---|---------------------------|
| 1 | Maximum Residue Limits |
| 2 | Extraneous Residue Limits |
| 3 | Chemical Groups |
| 4 | Foods and Classes of Food |

Clauses

1 Interpretation

- (1) Commodity names specified in Schedule 4 of this Standard may differ to those used in other parts of this Code.
- (2) Commodity names specified in Schedule 4 apply only for the purposes of this Standard and Standard 1.4.1.
- (3) An asterix “*” appearing in Schedules 1 or 2 denotes that the maximum residue limit or the extraneous residue limit is set at or about the limit of determination.
- (4) A “T” appearing in Schedules 1 or 2 denotes that the maximum residue limit or the extraneous residue limit is a temporary maximum residue limit or extraneous residue limit.
- (5) An “E” appearing in Schedule 2 denotes an extraneous residue limit.
- (6) In this Standard -

chemical means an agricultural or veterinary chemical listed in bold type in the shaded boxes in Schedules 1 or 2.

extraneous residue limit (ERL) means the maximum permitted limit of a pesticide residue, arising from environmental sources other than the use of a pesticide directly or indirectly on the food, expressed in milligrams of the chemical per kilogram of the food (mg/kg).

food means either a food or class of foods listed in unbolded type in Schedules 1, 2 or 4.

maximum residue limit (MRL) means the maximum level of a chemical which is permitted to be present in a food, expressed in milligrams of the chemical per kilogram of the food (mg/kg) unless otherwise stated.

residue definition means the residue to which the MRL or ERL applies for each chemical compound, appearing below the chemical listed in the shaded boxes in Schedules 1 and 2.

2 Maximum residue limits

- (1) The permitted MRL for a chemical in food is listed in Schedule 1.
- (2) If a MRL for a chemical is not listed in this Standard there must be no detectable residue of that chemical in that food.

Editorial note:

The MRLs for chemicals in water are listed under ‘Pesticides’ in Schedule 3 of the ‘*Guidelines for Drinking Water Quality in Australia*’ (1987) AWRC-NHMRC (Australian Water Resources Council - National Health and Medical Research Council).

3 Extraneous residue limits

- (1) The permitted ERL for a chemical in food is listed in Schedule 2.

(2) If an ERL for a chemical is not listed in this Standard there must be no detectable residue of that agricultural chemical in that food.

4 Determination of maximum and extraneous residue limits

(1) Schedule 4 of this Standard specifies the portion of food to which the MRL or ERL applies.

(2) Unless Schedules 1 or 2 specify a separate MRL or ERL for a processed food, the MRL or ERL applies to that food whether raw or processed.

(3) Where a food contains more than one of the chemicals listed in any group in Schedule 3 of this Standard, the combined proportions of those chemicals must not exceed unity.

Sample calculation

$$\frac{\text{Amount of chemical A present}}{\text{MRL or ERL for chemical A}} + \frac{\text{Amount of chemical B present}}{\text{MRL or ERL for chemical B}} \leq 1$$

(4) Where there is no MRL or ERL specified for a chemical in a food which has ingredients, the MRL or ERL of the chemical in that food is the combined proportionate quantities of the MRL or ERL specified for the ingredients of that food.

Sample calculation

$$\text{MRL1} = \frac{\text{Total A}}{\text{Total}} \times \text{MRL A} + \frac{\text{Total B}}{\text{Total}} \times \text{MRL B}$$

In this calculation -

MRL1 = the MRL which applies to the chemical in the mixed food

MRL A = the MRL for the chemical which applies to food A

MRL B = the MRL for the chemical which applies to food B

Total A = total weight of food A

Total B = total weight of food B

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

ABAMECTIN	
SUM OF AVERMECTIN B 1A, AVERMECTIN B 1B AND D-8,9 ISOMER OF AVERMECTIN B 1A	
APPLE	0.01
CATTLE, EDIBLE OFFAL OF	0.1
CATTLE FAT	0.1
CATTLE MEAT	0.005
CATTLE MILK	0.005
CITRUS FRUITS	0.01
COTTON SEED	*0.01
EGGPLANT	0.02
HOPS, DRY	0.1
PEAR	0.01
PEPPERS	0.02
SHEEP, EDIBLE OFFAL OF	0.05
SHEEP MEAT (IN THE FAT)	0.05
TOMATO	0.01
STRAWBERRY	0.02
ACEPHATE	
ACEPHATE (NOTE: THE METABOLITE METHAMIDOPHOS HAS SEPARATE MRLS)	
BANANA	1
BANANA, DWARF	1
BRASSICA (COLE OR CABBAGE) VEGETABLES	5
CITRUS FRUITS	5
COTTON SEED	2
EDIBLE OFFAL (MAMMALIAN)	0.2
EGGS	0.2
LETTUCE, HEAD	10
LETTUCE, LEAF	10
MACADAMIA NUTS	*0.1
MEAT (MAMMALIAN) [EXCEPT SHEEP MEAT]	0.2
PEPPERS, SWEET	5
POTATO	0.5
SHEEP MEAT	*0.01
SOYA BEAN (DRY)	1
SUGAR BEET	0.1
TOMATO	5
TREE TOMATO (TAMARILLO)	0.5

ACIFLUORFEN	
ACIFLUORFEN	
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	0.01
LEGUME VEGETABLES	0.1
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
PEANUT	0.05
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	*0.01
PULSES	0.1
ALBENDAZOLE	
SUM OF ALBENDAZOLE, ITS SULFOXIDE, SULFONE AND SULFONE AMINE, EXPRESSED AS ALBENDAZOLE	
CATTLE, EDIBLE OFFAL OF	*0.1
CATTLE MEAT	*0.1
GOAT, EDIBLE OFFAL OF	*0.1
GOAT MEAT	0.1
SHEEP, EDIBLE OFFAL OF	3
SHEEP MEAT	0.2
ALBENDAZOLE SULPHOXIDE	
SEE ALBENDAZOLE	
ALDICARB	
SUM OF ALDICARB, ITS SULFOXIDE AND ITS SULFONE, EXPRESSED AS ALDICARB	
CEREAL GRAINS	*0.02
CITRUS FRUITS	0.05
COTTON SEED	*0.05
GRAPES	0.05
POTATO	0.2
STRAWBERRY	0.2
SUGAR CANE	0.02

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

ALDOXYCARB	
SUM OF ALDOXYCARB AND ITS SULFONE, EXPRESSED AS ALDOXYCARB	
CATTLE, EDIBLE OFFAL OF	0.2
CATTLE MEAT	*0.02
EGGS	0.1
MILKS	*0.02
POULTRY, EDIBLE OFFAL OF	0.2
POULTRY MEAT	*0.02
WHEAT	*0.02
ALIPHATIC ALCOHOL ETHOXYLATES	
ALIPHATIC ALCOHOL ETHOXYLATES	
CATTLE, EDIBLE OFFAL OF	*0.1
CATTLE MEAT	*0.1
CATTLE MILK	1
ALLOXYDIM	
ALLOXYDIM	
BULB VEGETABLES	T0.1
BEETROOT	T0.1
CARROT	T0.2
FRUITING VEGETABLES, CUCURBITS	*0.1
POPPY SEED	T0.3
POTATO	T0.1
STRAWBERRY	T0.1
TOMATO	T0.2
ALLOXYDIM SODIUM	
<i>SEE ALLOXYDIM</i>	
ALTRENOGEST	
ALTRENOGEST	
PIG MEAT	*0.005
PIG, EDIBLE OFFAL OF	0.005
ALUMINIUM PHOSPHIDE	
<i>SEE PHOSPHINE</i>	

AMETRYN	
AMETRYN	
COTTON SEED	0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
PINEAPPLE	*0.05
POME FRUITS	0.1
SUGAR CANE	0.05
AMITRAZ	
SUM OF AMITRAZ AND N-(2,4- DIMETHYLPHENYL)-N'-METHYLFORMAMIDINE, EXPRESSED AS AMITRAZ	
APPLE	0.5
COTTON SEED	*0.1
COTTON SEED OIL, CRUDE	1
EDIBLE OFFAL OF CATTLE, PIGS AND SHEEP	0.5
MEAT OF CATTLE, PIGS AND SHEEP	0.1
MILKS	0.1
STONE FRUITS [EXCEPT CHERRIES]	0.5
AMITROLE	
AMITROLE	
AVOCADO	*0.01
BANANA	*0.01
CEREAL GRAINS	*0.01
CITRUS FRUITS	*0.01
EDIBLE OFFAL (MAMMALIAN)	*0.01
GRAPES	*0.01
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
PAPAYA (PAWPAW)	*0.01
PASSIONFRUIT	*0.01
PECAN	*0.01
PINEAPPLE	*0.01
POME FRUITS	*0.01
POTATO	*0.05
STONE FRUITS	*0.02
SUGAR CANE	*0.01

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

AMOXYCILLIN	
INHIBITORY SUBSTANCE, IDENTIFIED AS AMOXYCILLIN	
CATTLE MILK	*0.01
EDIBLE OFFAL (MAMMALIAN)	*0.01
MEAT (MAMMALIAN)	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
SHEEP MILK	*0.01
AMPICILLIN	
INHIBITORY SUBSTANCE, IDENTIFIED AS AMPICILLIN	
HORSE, EDIBLE OFFAL OF	*0.01
HORSE MEAT	*0.01
AMPROLIUM	
AMPROLIUM	
EGGS	4
POULTRY, EDIBLE OFFAL OF	1
POULTRY MEAT	0.5
APRAMYCIN	
APRAMYCIN	
EDIBLE OFFAL (MAMMALIAN)	2
MEAT (MAMMALIAN)	*0.05
POULTRY, EDIBLE OFFAL OF	1
POULTRY MEAT	*0.05
ASULAM	
ASULAM	
APPLE	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.1
HOPS, DRY	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
POPPY SEED	*0.1
POTATO	*0.4
SUGAR CANE	*0.1

ATRAZINE	
ATRAZINE	
EDIBLE OFFAL (MAMMALIAN)	0.1
LUPIN (DRY)	*0.02
MAIZE	*0.1
MEAT (MAMMALIAN)	T*0.01
MILKS	T*0.01
POTATO	*0.01
RAPE SEED	0.02
SORGHUM	*0.1
SUGAR CANE	*0.1
SWEET CORN (CORN-ON-THE-COB)	*0.1
AVERMECTIN B1	
SEE ABAMECTIN	
AVOPARCIN	
AVOPARCIN	
EDIBLE OFFAL (MAMMALIAN)	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
AZACONAZOLE	
AZACONAZOLE	
MUSHROOMS	0.1
AZAMETHIPHOS	
AZAMETHIPHOS	
CEREAL GRAINS	0.1
EGGS	0.05
POULTRY, EDIBLE OFFAL OF	0.05
POULTRY MEAT	0.05
WHEAT BRAN, UNPROCESSED	0.5

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

AZAPERONE	
AZAPERONE	
PIG, EDIBLE OFFAL OF	0.2
PIG MEAT	0.2
AZINPHOS-ETHYL	
AZINPHOS-ETHYL	
CEREAL GRAINS	0.2
CITRUS FRUITS	2
EDIBLE OFFAL (MAMMALIAN)	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
OILSEED	*0.05
POME FRUITS	2
VEGETABLES	1
AZINPHOS-METHYL	
AZINPHOS-METHYL	
BLUEBERRIES	1
CITRUS FRUITS	2
EDIBLE OFFAL (MAMMALIAN)	0.05
GRAPES	2
KIWIFRUIT	2
LITCHI	2
MACADAMIA NUTS	*0.01
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
OILSEED	*0.05
POME FRUITS	2
RASPBERRIES, RED, BLACK	1
STONE FRUITS	2
BACITRACIN	
INHIBITORY SUBSTANCE, IDENTIFIED AS BACITRACIN	
CHICKEN, EDIBLE OFFAL OF	*0.5
CHICKEN FAT	*0.5
CHICKEN MEAT	*0.5
EGGS	*0.5
MILKS	*0.5

BENALAXYL	
BENALAXYL	
FRUITING VEGETABLES, CUCURBITS	0.2
GARLIC	0.1
GRAPES	0.5
LETTUCE, HEAD	*0.01
LETTUCE, LEAF	*0.01
ONION, BULB	0.1
BENDIOCARB	
COMMODITIES OF PLANT ORIGIN: UNCONJUGATED BENDIOCARB;	
COMMODITIES OF ANIMAL ORIGIN: SUM OF CONJUGATED AND UNCONJUGATED BENDIOCARB, 2,2-DIMETHYL-1,3- BENZODIOXOL-4-OL AND N- HYDROXYMETHYLBENDIOCARB, EXPRESSED AS BENDIOCARB	
BANANA	*0.02
CATTLE, EDIBLE OFFAL OF	0.2
CATTLE MEAT	0.1
EGGS	0.05
MILKS	0.1
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.05
BENFLURALIN	
BENFLURALIN	
EDIBLE OFFAL (MAMMALIAN)	*0.01
LETTUCE, HEAD	*0.05
LETTUCE, LEAF	*0.05
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
BENOMYL	
<i>SEE CARBENDAZIM</i>	

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

BENSULFURON-METHYL	
BENSULFURON-METHYL	
RICE	*0.02
RICE BRAN, PROCESSED	*0.05
BENSULIDE	
BENSULIDE	
FRUITING VEGETABLES, CUCURBITS	*0.1
BENTAZONE	
BENTAZONE	
BEANS, EXCEPT BROAD BEAN AND SOYA BEAN	*0.1
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	*0.1
PEANUT	*0.1
PULSES	*0.01
SWEET CORN (CORN-ON-THE- COB)	*0.1
BENZOFENAP	
SUM OF BENZOFENAP, BENZOFENAP-OH AN BENZOFENAP-RED, EXPRESSED AS BENZOFENAP	
RICE	0.02
BENZYLADENINE	
BENZYLADENINE	
APPLE	0.2
BENZYL G PENICILLIN	
INHIBITORY SUBSTANCE, IDENTIFIED AS BENZYL G PENICILLIN	
EDIBLE OFFAL (MAMMALIAN)	*0.06
EGGS	*0.018
MEAT (MAMMALIAN)	*0.06
MILKS	*0.0015
POULTRY, EDIBLE OFFAL OF	0.06
POULTRY MEAT	0.06

BETACYFLUTHRIN	
<i>SEE CYFLUTHRIN</i>	
BIFENTHRIN	
BIFENTHRIN	
APPLE	*0.05
BANANA	0.1
BARLEY	0.02
CATTLE, EDIBLE OFFAL OF	0.5
CATTLE MEAT (IN THE FAT)	2
CEREAL GRAINS	2
CHERVIL	0.5
COTTON SEED	0.05
EGG PLANT	0.5
EGGS	*0.05
FIELD PEA (DRY)	0.01
GALANGAL, RHIZOMES	0.5
GOAT, EDIBLE OFFAL OF	0.5
GOAT MEAT (IN THE FAT)	2
GRAPES	0.01
HERBS	0.5
LUPIN (DRY)	0.02
MILKS	0.5
OKRA	0.5
PEAR	0.5
PEPPERS	0.5
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT (IN THE FAT)	*0.05
PULSES	0.02
RAPE SEED	*0.02
RUCOLA (ROCKET)	0.5
SHEEP, EDIBLE OFFAL OF	0.5
SHEEP MEAT (IN THE FAT)	2
SUGAR CANE	0.01
TOMATO	0.5
TURMERIC ROOT	0.5
WHEAT	0.01
BIORESMETHRIN	
BIORESMETHRIN	
CEREAL GRAINS	5
WHEAT BRAN, UNPROCESSED	T10
WHEAT GERM	T10

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

BITERTANOL	
BITERTANOL	
APPLE	1
BEANS, EXCEPT BROAD BEAN AND SOYA BEAN	0.3
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN)	1
EGGS	*0.01
MEAT (MAMMALIAN) (IN THE FAT)	1
MILKS (IN THE FAT)	2
PEANUT	*0.2
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.2
POULTRY MEAT (IN THE FAT)	1
PULSES	0.3
BRODIFACOU M	
BRODIFACOU M	
CEREAL GRAINS	0.0002
EDIBLE OFFAL (MAMMALIAN)	0.0005
MEAT (MAMMALIAN)	0.0005
PULSES	0.0002
SUGAR CANE	*0.0005
BROMACIL	
BROMACIL	
ASPARAGUS	*0.04
CITRUS FRUITS	*0.04
EDIBLE OFFAL (MAMMALIAN)	*0.04
MEAT (MAMMALIAN)	*0.04
MILKS	*0.04
PINEAPPLE	*0.04
BROMOPROPYLATE	
BROMOPROPYLATE	
POME FRUITS	5
STONE FRUITS	5
BROMOXYNIL	
BROMOXYNIL	
CEREAL GRAINS	*0.2

EDIBLE OFFAL (MAMMALIAN)	*0.02
EGGS	*0.02
LINSEED	*0.02
MEAT (MAMMALIAN)	*0.02
MILKS	*0.02
POULTRY, EDIBLE OFFAL OF	*0.02
POULTRY MEAT	*0.02
SUGAR CANE	*0.02
BROMUCONAZOLE	
BROMUCONAZOLE, SUM OF ISOMERS	
PEACH	0.1
POME FRUITS	0.1
STONE FRUITS	0.1
GRAPES	0.05
BUPIRIMATE	
BUPIRIMATE	
APPLE	1
MELONS, EXCEPT WATERMELON	1
CADUSAFOS	
CADUSAFOS	
BANANA	*0.01
GINGER, ROOT	0.1
SUGAR CANE	*0.01
TOMATO	*0.01
CAPTAN	
CAPTAN	
EDIBLE OFFAL (MAMMALIAN)	0.05
GRAPES	10
MEAT (MAMMALIAN)	0.05
MILKS	0.01
POME FRUITS	10
STONE FRUITS	20
STRAWBERRY	25
CARBARYL	
CARBARYL	
APRICOT	10
ASPARAGUS	10

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

AVOCADO	10
BANANA (IN THE PULP)	5
BLACKBERRIES	10
BLUEBERRIES	7
BRAZILIAN CHERRY (GRUMICHAMA)	5
CARAMBOLA	5
CEREAL GRAINS	T5
CHERRIES	5
CITRUS FRUITS	7
COTTON SEED	1
CUSTARD APPLE	5
DEWBERRIES (INCLUDING BOYSENBERRY, LOGANBERRY AND YOUNGBERRY)	10
EDIBLE OFFAL (MAMMALIAN)	T0.2
EGGS	T0.2
ELEPHANT APPLE	5
FEIJOA	5
FRUITING VEGETABLES, CUCURBITS	3
GRANADILLA	5
GRAPES	5
GUAVA	5
JABOTICABA	5
JACKFRUIT	5
JAMBU	5
KIWIFRUIT	10
LEAFY VEGETABLES	10
LITCHI	5
LONGAN	5
MANGO	5
MEAT (MAMMALIAN)	T0.2
MILKS	T*0.05
NECTARINE	10
OKRA	10
OLIVES	10
OLIVES, PROCESSED	1
PAPAYA (PAWPAW)	5
PASSIONFRUIT	5
PEACH	10
PLUMS (INCLUDING PRUNES)	5
POME FRUITS	5
POTATO	0.2
POULTRY, EDIBLE OFFAL OF	T5
POULTRY MEAT	T0.5
RAMBUTAN	5
RASPBERRIES, RED, BLACK	10

SAPODILLA	5
SAPOTE, BLACK	5
SAPOTE, GREEN	5
SAPOTE, MAMMEY	5
SAPOTE, WHITE	5
STRAWBERRY	7
SUGAR CANE	0.05
SUNFLOWER SEED	1
SWEET CORN (CORN-ON-THE- COB)	1
TREE NUTS	1
TREE NUTS (WHOLE IN SHELL)	10
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	5
WHEAT BRAN, UNPROCESSED	T20
CARBENDAZIM	
SUM OF CARBENDAZIM AND 2- AMINOBENZIMIDAZOLE, EXPRESSED AS CARBENDAZIM	
AVOCADO	3
BANANA	1
BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES]	5
CEREAL GRAINS	*0.05
CHICK PEA (DRY)	1
CITRUS FRUITS	10
EDIBLE OFFAL (MAMMALIAN)	0.2
EGGS	*0.1
EGG PLANT	0.02
FRUITING VEGETABLES, CUCURBITS	2
FRUITING VEGETABLES, OTHER THAN CUCURBITS [EXCEPT MUSHROOMS]	2
GINGER, ROOT	10
GRAPES	3
HERBS	3
LITCHI	10
MANGO	5
MEAT (MAMMALIAN)	0.2
MILKS	0.1
MUSHROOMS	10
PAPAYA (PAWPAW)	T20
PEANUT	0.2
PEPPERS	0.02
POME FRUITS	5

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
STONE FRUITS	10
SUGAR CANE	0.1
TURMERIC ROOT	3
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	3
CARBETAMIDE	
CARBETAMIDE	
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
CARBOFURAN	
SUM OF CARBOFURAN AND 3-HYDROXYCARBOFURAN, EXPRESSED AS CARBOFURAN	
BANANA	*0.1
COTTON SEED	0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MAIZE	0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
RICE	0.2
SORGHUM	0.05
SUGAR CANE	*0.1
SUNFLOWER SEED	0.05
SWEET CORN	0.05
WHEAT	*0.2
CARBON DISULPHIDE	
CARBON DISULFIDE	
CEREAL GRAINS	10
PULSES	10

CARBONYL SULPHIDE	
CEREAL GRAINS	0.2
PULSES	0.2
RAPESEED	0.2
CARBOXIN	
CARBOXIN	
CEREAL GRAINS	0.1
CHINOMETHIONAT	
<i>SEE OXYTHIOQUINOX</i>	
CHLORFENAPYR	
CHLORFENAPYR	
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD BRASSICAS	0.5
COTTON SEED	T0.5
EDIBLE OFFAL (MAMMALIAN)	0.1
EGGS	0.01
MEAT (MAMMALIAN) (IN THE FAT)	0.1
MILKS	0.01
PEACH	1
PEAR	0.5
POULTRY, EDIBLE OFFAL OF	0.01
POULTRY MEAT (IN THE FAT)	0.02
CHLORFENVINPHOS	
CHLORFENVINPHOS, SUM OF E AND Z ISOMERS	
BROCCOLI	0.05
BRUSSELS SPROUTS	0.05
CABBAGES, HEAD	0.05
CARROT	0.4
CATTLE, EDIBLE OFFAL OF	0.2
CATTLE MEAT (IN THE FAT)	0.2
CAULIFLOWER	0.1
CELERY	0.4
COTTON SEED	0.05
EGG PLANT	0.05
GOAT, EDIBLE OFFAL OF	0.2

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

GOAT MEAT (IN THE FAT)	0.2
HORSERADISH	0.1
LEEK	0.05
MAIZE	0.05
MILKS (IN THE FAT)	0.2
MUSHROOMS	0.05
ONION, BULB	0.05
PEANUT	0.05
POTATO	0.05
RADISH	0.1
RICE	0.05
SHEEP, EDIBLE OFFAL OF	0.2
SHEEP MEAT (IN THE FAT)	0.2
SWEDE	0.05
SWEET POTATO	0.05
TOMATO	0.1
TURNIP, GARDEN	0.05
WHEAT	0.05
CHLORFLUAZURON	
CHLORFLUAZURON	
CATTLE, EDIBLE OFFAL OF	0.1
CATTLE MEAT (IN THE FAT)	1
CATTLE MILK	0.1
COTTON SEED	0.1
COTTON SEED OIL, CRUDE	0.1
COTTON SEED OIL, EDIBLE	*0.05
EGGS	0.2
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT (IN THE FAT)	1
CHLORHEXIDINE	
CHLORHEXIDINE	
MILKS	0.05
CHLORIDAZON	
CHLORIDAZON	
BEETROOT	*0.05
CHLORMEQUAT	
CHLORMEQUAT CATION	
DRIED GRAPES	0.75
GRAPES	0.75

MILKS	*0.1
WHEAT	5
3-(2-CHLORO-THIAZOL-5-YLMETHYL)-5-METHYL-[1,3,5]OXADIAZINAN-4-YLIDENE-N-NITROAMINE	
3-(2-CHLORO-THIAZOL-5-YLMETHYL)-5-METHYL-[1,3,5]OXADIAZINAN-4-YLIDENE-N-NITROAMINE	
COTTON SEED	0.05
COTTON SEED OIL	0.05
MAIZE	0.05
SORGHUM	0.05
SWEET CORN	0.05
CHLOROPICRIN	
CHLOROPICRIN	
CEREAL GRAINS	*0.1
CHLOROTHALONIL	
CHLOROTHALONIL	
ALMONDS	T0.1
APRICOT	7
BANANA	3
BRUSSELS SPROUTS	7
CARROT	7
CELERY	10
CHERRIES	10
CURRANT, BLACK	10
FRUITING VEGETABLES, CUCURBITS	5
GARLIC	10
GRAPES	10
HERBS	7
LEAFY VEGETABLES	7
LEEK	10
NECTARINE	7
ONION, BULB	10
PEACH	30
PEANUT	T0.2
PLUMS (INCLUDING PRUNES)	10
POTATO	0.1
SPRING ONIONS	10
TOMATO	10

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

TURMERIC ROOT	7
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	7
CHLOROXYURON	
SUM OF CHLOROXYURON AND ALL METABOLITES HYDROLYSED TO P-CHLOROPHENOXYANILINE, EXPRESSED AS CHLOROXYURON	
STRAWBERRY	0.5
CHLORPROPHAM	
CHLORPROPHAM	
GARLIC	0.05
ONIONS, BULB	0.05
POTATO	30
CHLORPYRIFOS	
CHLORPYRIFOS	
ASPARAGUS	0.5
AVOCADO	0.5
BANANA	0.5
BRASSICA (COLE OR CABBAGE) VEGETABLES	0.5
CASSAVA	*0.02
CATTLE, EDIBLE OFFAL OF	2
CATTLE MEAT (IN THE FAT)	2
CELERY	5
CEREAL GRAINS [EXCEPT SORGHUM]	0.1
CITRUS FRUITS	0.5
COTTON SEED	0.05
COTTON SEED OIL, CRUDE	0.2
DRIED FRUITS	2
EGGS	*0.01
GINGER, ROOT	*0.01
GRAPES	0.01
KIWIFRUIT	2
MANGO	*0.05
MILKS (IN THE FAT)	0.2
OILSEED [EXCEPT COTTON SEED]	0.01
PASSIONFRUIT	*0.05
PIG, EDIBLE OFFAL OF	0.1

PIG MEAT (IN THE FAT)	0.1
PINEAPPLE	0.5
POME FRUITS	0.2
POTATO	0.05
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT (IN THE FAT)	0.1
SHEEP, EDIBLE OFFAL OF	0.1
SHEEP MEAT (IN THE FAT)	0.1
SORGHUM	3
STONE FRUITS	1
STRAWBERRY	0.05
SUGAR CANE	0.1
TOMATO	0.5
TREE NUTS	0.02
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	*0.01
CHLORPYRIFOS-METHYL	
CHLORPYRIFOS-METHYL	
CEREAL GRAINS [EXCEPT RICE]	10
COTTON SEED	0.01
COTTON SEED OIL	0.01
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
LUPIN (DRY)	10
MEAT (MAMMALIAN) (IN THE FAT)	*0.05
MILKS (IN THE FAT)	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT (IN THE FAT)	*0.05
RICE	0.1
WHEAT BRAN, UNPROCESSED	20
WHEAT GERM	30
CHLORSULFURON	
CHLORSULFURON	
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

CHLORTETRACYCLINE	
INHIBITORY SUBSTANCE, IDENTIFIED AS CHLORTETRACYCLINE	
CATTLE MEAT	0.1
PIG MEAT	0.1
POULTRY, EDIBLE OFFAL OF	0.6
POULTRY MEAT	0.1
CHLORTHAL-DIMETHYL	
CHLORTHAL-DIMETHYL	
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
VEGETABLES	5
CLAVULANIC ACID	
CLAVULANIC ACID	
CATTLE, EDIBLE OFFAL OF	*0.01
CATTLE MEAT	*0.01
CATTLE MILK	0.01
CLETHODIM	
SEE SETHOXYDIM	
CLODINAFOP-PROPARGYL	
CLODINAFOP-PROPARGYL	
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
WHEAT	*0.05
CLODINAFOP ACID	
(R)-2-[4-(5-CHLORO-3-FLUORO-2-PYRIDINYLOXY) PHENOXY] PROPANOIC ACID	
EDIBLE OFFAL (MAMMALIAN)	*0.1

EGGS	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
WHEAT	*0.1
CLOFENTEZINE	
CLOFENTEZINE	
BANANA	*0.01
HOPS, DRY	*0.2
POME FRUITS	0.1
STONE FRUITS	0.1
CLOMAZONE	
CLOMAZONE	
RICE	0.01
CLOPYRALID	
CLOPYRALID	
CEREAL GRAINS	2
EDIBLE OFFAL (MAMMALIAN) [EXCEPT KIDNEY]	0.5
KIDNEY OF CATTLE, GOATS, PIGS AND SHEEP	5
MEAT (MAMMALIAN)	0.1
MILKS	0.05
RAPE SEED	0.5
CLOQUINTOCET-MEXYL	
CLOQUINTOCET-MEXYL	
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
WHEAT	*0.05

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

CLOQUINTOCET ACID	
5-CHLORO-8-QUINOLINOXYACETIC ACID	
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
WHEAT	*0.1
CLORSULON	
CLORSULON	
CATTLE, EDIBLE OFFAL OF	*0.1
CATTLE MEAT	*0.1
CLOSANTEL	
CLOSANTEL	
SHEEP, EDIBLE OFFAL OF	5
SHEEP MEAT	2
CLOXACILLIN	
INHIBITORY SUBSTANCE, IDENTIFIED AS CLOXACILLIN	
CATTLE MILK	*0.01
COUMAPHOS	
SUM OF COUMAPHOS AND ITS OXYGEN ANALOGUE, EXPRESSED AS COUMAPHOS	
CATTLE, EDIBLE OFFAL OF	1
CATTLE MEAT (IN THE FAT)	1
EGGS	0.05
GOAT, EDIBLE OFFAL OF	0.5
GOAT MEAT (IN THE FAT)	0.5
MILKS (IN THE FAT)	0.1
PIG, EDIBLE OFFAL OF	0.5
PIG MEAT (IN THE FAT)	0.5
POULTRY, EDIBLE OFFAL OF	1
POULTRY MEAT (IN THE FAT)	1
SHEEP, EDIBLE OFFAL OF	0.5
SHEEP MEAT (IN THE FAT)	0.5

CYANAMIDE	
CYANAMIDE	
BLUEBERRIES	0.05
GRAPES	*0.05
KIWIFRUIT	*0.1
PEAR, ORIENTAL (NASHI)	*0.1
PISTACHIO NUTS	0.05
CYANAZINE	
CYANAZINE	
BULB VEGETABLES	*0.02
CEREAL GRAINS	*0.01
PEAS	0.02
POTATO	0.02
PULSES	*0.01
SWEET CORN (CORN-ON-THE-COB)	*0.02
CYCLANILIDE	
SUM OF CYCLANILIDE AND ITS METHYL ESTER, EXPRESSED AS CYCLANILIDE	
COTTON SEED	0.2
COTTON SEED OIL, CRUDE	0.01
EGGS	0.01
MEAT (MAMMALIAN)	0.05
EDIBLE OFFAL (MAMMALIAN)	2
MILKS	0.05
POULTRY, EDIBLE OFFAL OF	0.01
POULTRY MEAT	0.01
CYFLUTHRIN	
CYFLUTHRIN, SUM OF ISOMERS	
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	0.5
BRASSICA (COLE OR CABBAGE) VEGETABLES	0.5
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	0.5
CEREAL GRAINS	2
COTTON SEED	0.01
EDIBLE OFFAL (MAMMALIAN)	*0.01
EGG PLANT	0.2
EGGS	*0.01
LEGUME VEGETABLES	0.5
MACADAMIA NUTS	0.05

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

MAMMALIAN FATS [EXCEPT MILK FATS]	0.5	ASPARAGUS	0.5
MEAT MAMMALIAN (IN THE FAT)	0.02	BRASSICA (COLE OR CABBAGE) VEGETABLES	1
MILKS	0.1	CATTLE, EDIBLE OFFAL OF	0.05
OKRA	0.2	CATTLE MEAT (IN THE FAT)	0.5
ONION, BULB	0.02	CEREAL GRAINS [EXCEPT WHEAT]	1
PEPPERS, SWEET (CAPSICUMS)	0.2	COMMON BEAN (PODS AND/OR IMMATURE SEEDS) (DRY)	0.05
POULTRY, EDIBLE OFFAL OF	*0.01	COTTON SEED	0.2
POULTRY MEAT (IN THE FAT)	*0.01	COTTON SEED OIL, CRUDE	*0.02
PULSES	0.5	EGGS	0.05
SHEEP MEAT (IN THE FAT)	0.05	FIELD PEA (DRY)	0.05
TOMATO	0.2	GOAT, EDIBLE OFFAL OF	0.05
WHEAT BRAN, UNPROCESSED	5	GOAT MEAT (IN THE FAT)	0.5
CYHALOTHRIN		GRAPES	0.05
CYHALOTHRIN, SUM OF ISOMERS		HORSE, EDIBLE OFFAL OF	*0.05
ALL OTHER FOODS	*0.01	HORSE MEAT (IN THE FAT)	*0.05
BARLEY	0.2	LETTUCE, HEAD	2
BRASSICA (COLE OR CABBAGE) VEGETABLES	0.1	LETTUCE, LEAF	2
CATTLE MEAT (IN THE FAT)	0.5	LINOLA OIL, EDIBLE	0.1
CITRUS FRUITS	*0.01	LINOLA SEED	0.1
COTTON SEED	*0.02	LINSEED	0.5
EDIBLE OFFAL (MAMMALIAN)	*0.02	LUPIN (DRY)	*0.01
EGGS	*0.02	MILKS (IN THE FAT)	1
GOAT MEAT (IN THE FAT)	0.1	MUNG BEAN (DRY)	0.05
LEGUME VEGETABLES	0.1	PIG, EDIBLE OFFAL OF	*0.05
MILKS (IN THE FAT)	0.5	PIG MEAT (IN THE FAT)	*0.05
PIG MEAT (IN THE FAT)	0.1	POME FRUITS	1
POTATO	*0.01	POTATO	*0.01
POULTRY, EDIBLE OFFAL OF	*0.02	POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.02	POULTRY MEAT (IN THE FAT)	*0.05
PULSES [EXCEPT SOYA BEAN (DRY)]	0.2	RAPE SEED	0.2
RAPE SEED	0.02	RAPE SEED OIL, EDIBLE	0.2
SHEEP MEAT (IN THE FAT)	0.1	SHEEP, EDIBLE OFFAL OF	0.05
SORGHUM	0.2	SHEEP MEAT (IN THE FAT)	0.5
SOYA BEAN (DRY)	*0.02	SOYA BEAN (DRY)	0.05
SUNFLOWER SEED	*0.01	SOYA BEAN OIL, CRUDE	0.1
TOMATO	0.02	STONE FRUITS [EXCEPT CHERRIES]	1
WHEAT	*0.05	SUGAR CANE	0.02
CYPERMETHRIN		SUNFLOWER SEED	0.1
CYPERMETHRIN, SUM OF ISOMERS		SUNFLOWER SEED OIL, CRUDE	0.1
ALL OTHER FOODS	*0.01	SWEET CORN (CORN-ON-THE-COB)	0.05
		TOMATO	0.5

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

CYPROCONAZOLE	
CYPROCONAZOLE, SUM OF ISOMERS	
BANANA	T0.5
EDIBLE OFFAL (MAMMALIAN)	0.01
GRAPES	T0.5
MEAT (MAMMALIAN)	0.01
MILKS	*0.01
PEANUT	0.02
POTATO	*0.02
CYPRODINIL	
CYPRODINIL	
EDIBLE OFFAL (MAMMALIAN)	0.01
GRAPES	2
MEAT (MAMMALIAN)	0.01
MILKS	0.01
POME FRUITS	0.05
CYROMAZINE	
CYROMAZINE	
GOAT, EDIBLE OFFAL OF	0.2
GOAT MEAT	0.2
SHEEP, EDIBLE OFFAL OF	0.2
SHEEP MEAT	0.2
2,4-D	
2, 4-D	
CEREAL GRAINS	0.2
CITRUS FRUITS	5
EDIBLE OFFAL (MAMMALIAN)	2
EGGS	*0.05
LEGUME VEGETABLES	*0.05
LUPIN (DRY)	*0.05
MEAT (MAMMALIAN)	0.2
MILKS	*0.05
OILSEED	*0.05
PEAR	0.05
POTATO	0.1
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
PULSES	*0.05
SUGAR CANE	5

DAMINOZIDE	
DAMINOZIDE	
EDIBLE OFFAL (MAMMALIAN)	0.2
EGGS	0.2
MEAT (MAMMALIAN)	0.2
MILKS	*0.05
PEACH	30
PEANUT	20
POME FRUITS	30
POULTRY, EDIBLE OFFAL OF	0.2
POULTRY MEAT	0.2
2,4-DB	
2, 4-DB	
CEREAL GRAINS	*0.02
EDIBLE OFFAL (MAMMALIAN)	0.2
EGGS	*0.05
MEAT (MAMMALIAN)	0.2
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
DEF	
<i>SEE TRIBUFOS</i>	
DELTAMETHRIN	
DELTAMETHRIN	
BRASSICA (COLE OR CABBAGE) VEGETABLES	*0.05
CATTLE, EDIBLE OFFAL OF	0.1
CATTLE MEAT (IN THE FAT)	0.5
CATTLE MILK (IN THE FAT)	0.5
CEREAL GRAINS	2
EGGS	0.01
FRUITING VEGETABLES, OTHER THAN CUCURBITS	0.1
GOAT, EDIBLE OFFAL OF	0.1
GOAT MEAT (IN THE FAT)	0.1
GOAT MILK (IN THE FAT)	0.2
LEGUME VEGETABLES	0.1
OILSEED	0.1
PIG, EDIBLE OFFAL OF	0.01
PIG MEAT (IN THE FAT)	0.1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

POULTRY, EDIBLE OFFAL OF	0.01
POULTRY MEAT	0.01
PULSES	0.1
SHEEP, EDIBLE OFFAL OF	0.1
SHEEP MEAT (IN THE FAT)	0.1
SHEEP MILK (IN THE FAT)	0.2
SWEET CORN (KERNELS)	0.1
WHEAT BRAN, UNPROCESSED	5
WHEAT GERM	3
DEMETON-S-METHYL	
SUM OF DEMETON-S, DEMETON-O, THEIR SULFOXIDES AND THEIR SULFONES, EXPRESSED AS DEMETON-S-METHYL	
<i>SEE ALSO DISULFOTON</i>	
CEREAL GRAINS	0.5
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
HERBS	0.5
HOPS, DRY	0.5
MACADAMIA NUTS	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
OILSEED	0.5
POME FRUITS	0.5
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
STONE FRUITS	0.5
STRAWBERRY	0.5
VEGETABLES	0.5
DEXAMETHASONE AND DEXAMETHASONE TRIMETHYLACETATE	
DEXAMETHASONE	
CATTLE, EDIBLE OFFAL OF	0.1
CATTLE MEAT	0.1
CATTLE MILK	*0.05
HORSE, EDIBLE OFFAL OF	0.1
HORSE MEAT	0.1
PIG, EDIBLE OFFAL OF	0.1
PIG MEAT	0.1

DIAFENTHIURON	
SUM OF DIAFENTHIURON; N-[2,6-BIS(1-METHYLETHYL)-4-PHENOXYPHENYL]-N'-(1,1-DIMETHYLETHYL)UREA; AND N-[2,6-BIS(1-METHYLETHYL)-4-PHENOXYPHENYL]-N'-(1,1-DIMETHYLETHYL)CARBODIIMIDE, EXPRESSED AS DIAFENTHIURON	
BRASSICA (COLE OR CABBAGE) VEGETABLES	0.5
COMMON BEAN (PODS AND/OR IMMATURE SEEDS)	T0.1
COTTON SEED	T0.2
POTATO	T0.1
TOMATO	T0.5
DIAZINON	
DIAZINON	
CEREAL GRAINS	0.1
CITRUS FRUITS	0.7
EDIBLE OFFAL (MAMMALIAN)	0.7
EGGS	*0.05
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.5
KIWIFRUIT	0.5
MEAT (MAMMALIAN) (IN THE FAT)	0.7
MILKS (IN THE FAT)	0.5
OLIVE OIL, CRUDE	2
OLIVES	2
PEACH	0.7
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
SUGAR CANE	0.5
SWEET CORN (CORN-ON-THE-COB)	0.7
TREE NUTS	0.1
VEGETABLE OILS, CRUDE [EXCEPT OLIVE OIL, CRUDE]	0.1
VEGETABLES	0.7
DICAMBA	
DICAMBA	
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN)	0.05
EGGS	*0.05
MEAT (MAMMALIAN)	0.05
MILKS	0.1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
SUGAR CANE	0.1
SUGAR CANE MOLASSES	2
DICHOLOBENIL	
DICHOLOBENIL	
CITRUS FRUITS	0.1
GRAPES	0.1
POME FRUITS	0.1
STONE FRUITS	0.1
TOMATO	0.1
DICLORAN	
DICLORAN	
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	20
BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES]	20
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	20
CARROT	15
GRAPES	10
LETTUCE, HEAD	20
LETTUCE, LEAF	20
ONION, BULB	20
STONE FRUITS	15
SWEET POTATO	20
TOMATO	20
DICOFOL	
SUM OF DICOFOL AND 2,2,2- TRICHLORO-1-(4-CHLOROPHENYL)-1-(2-CHLOROPHENYL)ETHANOL, EXPRESSED AS DICOFOL	
ALMONDS	5
COTTON SEED	0.1
CUCUMBER	2
FRUIT [EXCEPT STRAWBERRY]	5
GHERKIN	2
HOPS, DRY	5
STRAWBERRY	1
TEA, GREEN, BLACK	5
TOMATO	1

VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	5
DICYCLANIL	
SUM OF DICYCLANIL AND ITS TRIAMINOPYRIDYL METABOLITE EXPRESSED AS DICYCLANIL	
SHEEP FAT	0.3
SHEEP KIDNEY	0.3
SHEEP LIVER	0.3
SHEEP MEAT	0.3
DIELDRIN	
SEE ALDRIN AND DIELDRIN	
DIFENOCONAZOLE	
DIFENOCONAZOLE	
BANANA	T0.5
CARROT	0.2
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.01
PEANUT	0.1
POME FRUITS	0.3
POTATO	*0.02
POULTRY MEAT	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
TOMATO	0.5
WHEAT	0.02
DIFLUBENZURON	
DIFLUBENZURON	
CATTLE, EDIBLE OFFAL OF	0.02
CATTLE MEAT	0.02
CATTLE MILK	0.05
CEREAL GRAINS	2
MUSHROOMS	1
SHEEP KIDNEY	0.05
SHEEP LIVER	0.05
SHEEP MEAT (IN THE FAT)	0.05

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

SHEEP MILK	0.05
WHEAT BRAN, UNPROCESSED	5
DIFLUFENICAN	
DIFLUFENICAN	
BARLEY	0.05
EDIBLE OFFAL (MAMMALIAN)	0.1
LUPIN	0.05
MEAT (MAMMALIAN)	0.01
MILKS	0.01
OATS	0.05
PEAS	0.05
PULSES	0.05
RYE	0.05
TRITICALE	0.05
WHEAT	0.02
DIMETHIPIN	
DIMETHIPIN	
COTTON SEED	0.5
COTTON SEED OIL, CRUDE	0.1
COTTON SEED OIL, REFINED	0.1
MILKS	0.01
MEAT (MAMMALIAN)	0.01
EDIBLE OFFAL (MAMMALIAN)	0.01
EGGS	0.02
POULTRY MEAT	0.01
POULTRY, EDIBLE OFFAL OF	0.01
DIMETHIRIMOL	
DIMETHIRIMOL	
FRUITING VEGETABLES, CUCURBITS	1
DIMETHOATE	
SUM OF DIMETHOATE AND OMETHOATE, EXPRESSED AS DIMETHOATE	
<i>SEE ALSO OMETHOATE</i>	
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2

LITCHI	5
FRUITING VEGETABLES, CUCURBITS	2
LUPIN (DRY)	0.5
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
OILSEED [EXCEPT PEANUT]	0.1
PEACHES	3
PEANUT	*0.05
PEPPERS, SWEET	1
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
QUANDONG	5
STRAWBERRY	5
TOMATO	1
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2
DIMETHOMORPH	
DIMETHOMORPH	
FRUITING VEGETABLES, CUCURBITS	0.5
GRAPES	2
LETTUCE, HEAD	0.3
LETTUCE, LEAF	0.5
ONION, BULB	0.05
POTATO	0.02
DIMETRIDAZOLE	
DIMETRIDAZOLE	
PIG, EDIBLE OFFAL OF	*0.005
PIG MEAT	*0.005
POULTRY, EDIBLE OFFAL OF	*0.005
POULTRY MEAT	*0.005
DINITOLMIDE	
DINITOLMIDE	
POULTRY, EDIBLE OFFAL OF	6
POULTRY FATS	2
POULTRY MEAT	3

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

DINITRO-O-TOLUAMIDE	
<i>SEE DINITOLMIDE</i>	
DINOCAP	
DINOCAP AND RELATED NITRO-OCTYLPHENOLS, EXPRESSED AS DINOCAP	
FRUITING VEGETABLES, CUCURBITS	0.1
GRAPES	0.1
POME FRUITS	0.1
STONE FRUITS	0.1
STRAWBERRY	0.1
DIOFENOLAN	
DIOFENOLAN	
AVOCADO	T0.5
CITRUS FRUITS	T0.5
MACADAMIA NUTS	T0.5
MANGO	T0.5
PAPAYA (PAWPAW)	T0.5
POME FRUITS	T0.5
SHEEP, EDIBLE OFFAL OF	0.2
SHEEP MEAT	5
STONE FRUITS	T0.5
DIPHENAMID	
DIPHENAMID	
TOMATO	T*0.1
DIPHENYLAMINE	
DIPHENYLAMINE	
APPLE	5
PEAR	7
DIQUAT	
DIQUAT CATION	
BARLEY	5
BEANS, EXCEPT BROAD BEAN AND SOYA BEAN	1
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	1

COTTON SEED	1
COTTON SEED OIL, CRUDE	0.1
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.01
FRUIT	*0.05
LINSEED	*0.01
LUPIN (DRY)	0.5
MAIZE	0.1
MEAT (MAMMALIAN)	*0.05
MILKS	*0.01
OATS	5
ONION, BULB	0.1
PEAS	0.1
POPPY SEED	5
POTATO	0.2
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
RAPE SEED	2
RAPE SEED OIL, CRUDE	0.1
RICE	5
RICE, POLISHED	1
RYE	2
SESAME SEED OIL, CRUDE	0.1
SORGHUM	2
SOYA BEAN (DRY)	1
SUGAR BEET	0.1
SUGAR CANE	*0.05
SUNFLOWER SEED	1
SUNFLOWER SEED OIL, CRUDE	1
TREE NUTS	0.05
TRITICALE	2
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.05
WHEAT	2
DISULFOTON	
SUM OF DISULFOTON AND DEMETON-S AND THEIR SULFOXIDES AND SULFONES, EXPRESSED AS DISULFOTON	
<i>SEE ALSO DEMETON-S-METHYL</i>	
COTTON SEED	0.5
EDIBLE OFFAL (MAMMALIAN)	0.02
EGGS	*0.02
HOPS, DRY	0.5
MEAT (MAMMALIAN)	0.02

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

MILKS	0.01
POTATO	0.5
POULTRY, EDIBLE OFFAL OF	*0.02
POULTRY MEAT	*0.02
VEGETABLES	0.5
DITHIANON	
DITHIANON	
FRUIT	2
DITHIOCARBAMATES	
TOTAL DITHIOCARBAMATES, DETERMINED AS CARBON DISULPHIDE EVOLVED DURING ACID DIGESTION AND EXPRESSED AS MILLIGRAMS OF CARBON DISULPHIDE PER KILOGRAM OF FOOD	
ALMONDS	T3
ASPARAGUS	T1
BANANA	2
BEANS (DRY)	0.5
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	2
BEETROOT	T1
BERRIES AND OTHER SMALL FRUIT [EXCEPT STRAWBERRIES]	T5
BRASSICA (COLE OR CABBAGE) VEGETABLES	2
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	2
BROAD BEANS (DRY) (FAVA BEAN)	0.5
BULB VEGETABLES	4
CARROT	1
CELERY	5
CEREAL GRAINS	0.5
CHICK-PEA (DRY)	0.5
CITRUS FRUITS	T0.2
COCONUT	5
COFFEE BEANS	5
COMMON BEAN (PODS AND/OR IMMATURE SEEDS)	2
COTTON SEED	T*0.05
EDIBLE OFFAL (MAMMALIAN)	2
EGG PLANT (AUBERGINE)	3
EGGS	0.5
FIG	3
FRUITING VEGETABLES, CUCURBITS	2

GARLIC	4
HOPS	T10
LEAFY VEGETABLES	5
MANGO	1
MEAT (MAMMALIAN)	*0.5
MILKS	*0.2
OKRA	3
PAPAYA (PAWPAW)	T30
PARSLEY	5
PASSION FRUIT (INCLUDING GRANADILLA)	T3
PEANUT	0.2
PEAS	T2
PEAS (DRY)	T0.5
PEPPERS (CAPSICUMS)	T3
PERSIMMON, JAPANESE	5
POME FRUITS	T3
POMEGRANATE	3
POULTRY, EDIBLE OFFAL OF	*0.5
POULTRY MEAT	*0.5
RHUBARB	2
ROSELLE (ROSELLA)	5
STONE FRUITS	T3
STRAWBERRY	T3
SUNFLOWER SEED	T*0.05
SWEET CORN (CORN-ON-THE-COB)	0.5
TOMATO	3
DIURON	
SUM OF DIURON AND 3,4- DICHLOROANILINE, EXPRESSED AS DIURON	
ASPARAGUS	2
CATTLE, EDIBLE OFFAL OF	3
CATTLE MEAT	0.1
CATTLE MILK	0.1
CEREAL GRAINS	0.1
COTTON SEED OIL, CRUDE	0.5
FIELD PEA (DRY)	*0.05
FRUIT	0.5
OILSEED	0.5
PINEAPPLE	0.5
SUGAR CANE	0.2

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

DODINE	
DODINE	
POME FRUITS	5
STONE FRUITS	5
DORAMECTIN	
DORAMECTIN	
CATTLE, EDIBLE OFFAL OF	0.1
CATTLE FAT	0.1
CATTLE MEAT	0.01
2,2-DPA	
2,2-DICHLOROPROPIONIC ACID	
AVOCADO	*0.1
BANANA	*0.1
CEREAL GRAINS	*0.1
CITRUS FRUITS	*0.1
COTTON SEED	*0.1
CURRANTS, BLACK, RED, WHITE	15
EDIBLE OFFAL (MAMMALIAN)	0.2
GRAPES	3
MEAT (MAMMALIAN)	0.2
MILKS	*0.1
PAPAYA (PAWPAW)	*0.1
PECAN	*0.1
PINEAPPLE	*0.1
POME FRUITS	*0.1
SHEEP, EDIBLE OFFAL OF	0.0025
SHEEP MEAT	0.0025
STONE FRUITS	1
SUGAR CANE	*0.1
SUNFLOWER SEED	*0.1
VEGETABLES	*0.1
EDB	
1,2-DIBROMOETHANE	
FRUIT	T0.1
VEGETABLES	T0.1

EDC	
SEE ETHYLENE DICHLORIDE	
EMAMECTIN BENZOATE	
NO RESIDUE DEFINITION	
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD CABBAGES	0.005
COTTON SEED	0.005
ENDOSULFAN	
SUM OF A- AND B- ENDOSULFAN AND ENDOSULFAN SULPHATE	
CARROT	0.2
CATTLE, EDIBLE OFFAL OF	0.2
CATTLE MEAT (IN THE FAT)	0.2
CEREAL GRAINS	0.2
COMMON BEAN (DRY)	1
COTTON SEED OIL, CRUDE	0.5
EGGS	*0.05
FRUITING VEGETABLES, OTHER THAN CUCURBITS	2
FRUIT	2
GOAT, EDIBLE OFFAL OF	0.2
GOAT MEAT (IN THE FAT)	0.2
LUPIN (DRY)	1
MILKS (IN THE FAT)	0.5
MUNG BEAN (DRY)	1
OILSEED	1
ONION, BULB	0.2
PEANUT	1
POTATO	0.2
POULTRY, EDIBLE OFFAL OF	0.2
POULTRY MEAT (IN THE FAT)	0.2
RICE	0.1
SHEEP, EDIBLE OFFAL OF	0.2
SHEEP MEAT (IN THE FAT)	0.2
SOYA BEAN (DRY)	1
SWEET CORN (CORN-ON-THE- COB)	0.2
SWEET POTATO	0.2
TEA, GREEN, BLACK	30
TREE NUTS	0.2

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2
ENDOTHAL	
ENDOTHAL	
COTTON SEED	0.1
POTATO	0.1
ENILCONAZOLE	
SEE IMAZALIL	
EPRINOMECTIN	
EPRINOMECTIN B1A	
CATTLE FAT	0.5
CATTLE MILK	0.03
CATTLE MEAT	0.1
CATTLE, EDIBLE OFFAL OF	2
DEER MEAT	0.1
DEER, EDIBLE OFFAL OF	2
EPTC	
EPTC	
CEREAL GRAINS	*0.04
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.01
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
OILSEED	0.1
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
VEGETABLES	*0.04
ERYTHROMYCIN	
INHIBITORY SUBSTANCE, IDENTIFIED AS ERYTHROMYCIN	
EDIBLE OFFAL (MAMMALIAN)	*0.3
EGGS	*0.3
MEAT (MAMMALIAN)	*0.3
MILKS	*0.04

POULTRY, EDIBLE OFFAL OF	0.3
POULTRY MEAT	0.3
ESFENVALERATE	
SEE FENVALERATE	
ETHEPHON	
ETHEPHON	
APPLE	1
BARLEY	T1
CHERRIES	15
COTTON SEED	2
COTTON SEED OIL, CRUDE	*0.1
CURRENT, BLACK	1
EDIBLE OFFAL (MAMMALIAN)	0.2
EGGS	0.2
GRAPES	10
KIWIFRUIT	0.1
MACADAMIA NUTS	*0.1
MANDARINS	2
MEAT (MAMMALIAN)	0.1
MILKS	0.1
ORANGES, SWEET, SOUR	2
PEACH	0.5
PINEAPPLE	2
POULTRY, EDIBLE OFFAL OF	0.2
POULTRY MEAT	0.1
SUGAR CANE	0.5
SUGAR CANE MOLASSES	7
TOMATO	2
TRITICALE	T1
WHEAT	T1
ETHION	
ETHION	
CATTLE, EDIBLE OFFAL OF	2.5
CATTLE MEAT (IN THE FAT),	2.5
CITRUS FRUITS	1
GRAPES	2
MILKS (IN THE FAT)	0.5
POME FRUITS	1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

STONE FRUITS	1
TEA, GREEN, BLACK	5
ETHOFUMESATE	
ETHOFUMESATE	
BEETROOT	0.1
CHARD (SILVER BEET)	1
EDIBLE OFFAL (MAMMALIAN)	0.5
GARLIC	0.1
MEAT (MAMMALIAN) (IN THE FAT)	0.5
MILKS (IN THE FAT)	0.2
ONION, BULB	*0.1
POPPY SEED	*0.02
ETHOPABATE	
ETHOPABATE	
POULTRY, EDIBLE OFFAL OF	15
POULTRY MEAT	5
ETHOPROPHOS	
ETHOPROPHOS	
BANANA	*0.05
CEREAL GRAINS	*0.005
CUSTARD APPLE	*0.02
GRAPES	T*0.01
LITCHI	*0.02
POTATO	T0.02
SUGAR CANE	*0.1
SWEET POTATO	*0.02
TOMATO	*0.01
BUTROXYDIM	
BUTROXYDIM	
EDIBLE OFFAL (MAMMALIAN)	0.01
EGGS	0.01
LEGUME VEGETABLES	0.01
MEAT (MAMMALIAN)	0.01
MILKS	0.01
OILSEED	0.01
POULTRY MEAT	0.01

POULTRY, EDIBLE OFFAL OF	0.01
PULSES	0.01
ETHOXYQUIN	
ETHOXYQUIN	
APPLE	3
PEAR	3
ETHYL FORMATE	
ETHYL FORMATE	
DRIED FRUITS	1
ETHYLENE DICHLORIDE (EDC)	
1,2-DICHLOROETHANE	
CEREAL GRAINS	50
ETHYLENE OXIDE	
EHTYLENE OXIDE	
NOTE: THE MRLS FOR ETHYLENE OXIDE CEASE TO HAVE EFFECT ON 30 SEPTEMBER 2001	
HERBS	20
SPICES	20
ETRIDIAZOLE	
ETRIDIAZOLE	
BEETROOT	*0.02
COTTON SEED	*0.02
PEANUT	*0.02
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.2
FAMPHUR	
FAMPHUR	
CATTLE, EDIBLE OFFAL OF	0.05
CATTLE MEAT	0.05

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

FEBANTEL	
FEBANTEL	
CATTLE, EDIBLE OFFAL OF	0.5
CATTLE MEAT	0.1
GOAT, EDIBLE OFFAL OF	0.5
GOAT MEAT	0.1
MILK FATS	4
MILKS	0.5
SHEEP, EDIBLE OFFAL OF	0.5
SHEEP MEAT	0.1
FENAMIPHOS	
SUM OF FENAMIPHOS, ITS SULFOXIDE AND SULFONE, EXPRESSED AS FENAMIPHOS	
ALOE VERA	1
BANANA	*0.05
BRASSICA (COLE OR CABBAGE) VEGETABLES	*0.05
CELERY	*0.05
CITRUS FRUITS	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
FRUITING VEGETABLES, CUCURBITS	*0.05
GINGER, ROOT	*0.05
GRAPES	*0.05
LEAFY VEGETABLES [EXCEPT LETTUCE, HEAD; LETTUCE, LEAF]	*0.05
LETTUCE, HEAD	0.2
LETTUCE, LEAF	0.2
MEAT (MAMMALIAN)	*0.05
MILKS	*0.005
MUSHROOMS	0.1
ONION, BULB	*0.05
PEANUT	*0.05
PINEAPPLE	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
ROOT AND TUBER VEGETABLES	0.2
STRAWBERRY	0.2
SUGAR CANE	*0.05
TOMATO	0.5

FENARIMOL	
FENARIMOL	
CURRENT, BLACK	T0.1
FRUITING VEGETABLES, CUCURBITS	0.2
GRAPES	0.1
POME FRUITS	0.2
FENBENDAZOLE	
FENBENDAZOLE	
CATTLE, EDIBLE OFFAL OF	*0.1
CATTLE MEAT	*0.1
GOAT, EDIBLE OFFAL OF	0.5
GOAT MEAT	0.5
MILKS	0.1
PIG, EDIBLE OFFAL OF	0.1
PIG MEAT	0.1
SHEEP, EDIBLE OFFAL OF	0.5
SHEEP MEAT	0.5
FENBUTATIN OXIDE	
BIS[TRIS(2-METHYL-2-PHENYLPROPYL)TIN]- OXIDE	
BERRIES AND OTHER SMALL FRUITS	1
CITRUS FRUITS	5
CITRUS PEEL	30
HOPS, DRY	20
PEACH	3
POME FRUITS	3
TROPICAL AND SUB-TROPICAL FRUITS - INEDIBLE PEEL	5
FENCHLORAZOLE-ETHYL	
FENCHLORAZOLE-ETHYL	
BARLEY	*0.05
CHICK-PEA (DRY)	*0.05
RYE	*0.05
TRITICALE	*0.05
WHEAT	*0.05

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

FENCHLORPHOS	
FENCHLORPHOS	
EDIBLE OFFAL (MAMMALIAN)	7
EGGS	*0.05
MEAT (MAMMALIAN) (IN THE FAT)	7
POULTRY, EDIBLE OFFAL OF	7
POULTRY MEAT (IN THE FAT)	7
FENTROTHION	
FENTROTHION	
APPLE	0.5
CABBAGES, HEAD	0.5
CACAO BEANS	0.1
CEREAL GRAINS	10
CHERRIES	0.5
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1
GRAPES	0.5
LETTUCE, HEAD	0.5
LETTUCE, LEAF	0.5
MEAT (MAMMALIAN)	*0.05
MILKS (IN THE FAT)	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
RICE, POLISHED	0.1
SOYA BEAN (DRY)	0.3
SUGAR CANE	0.02
TEA, GREEN, BLACK	0.5
TOMATO	0.5
TREE NUTS	0.1
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1
WHEAT BRAN, UNPROCESSED	20
WHEAT GERM	20
FENOPROP	
FENOPROP	
APPLE	0.02
EDIBLE OFFAL (MAMMALIAN)	*0.02
EGGS	*0.02

MEAT (MAMMALIAN)	*0.02
MILKS	*0.02
POULTRY, EDIBLE OFFAL OF	*0.02
POULTRY MEAT	*0.02
SUGAR CANE	*0.02
FENOXAPROP-ETHYL	
SUM OF FENOXAPROP-ETHYL (ALL ISOMERS) AND 2-(4-(6-CHLORO-2-BENZOXAZOLYLOXY)PHENOXY)-PROPANOATE AND 6-CHLORO-2,3-DIHYDROBENZOXAZOL-2-ONE, EXPRESSED AS FENOXAPROP-ETHYL	
BARLEY	*0.01
CHICK-PEA (DRY)	*0.01
EDIBLE OFFAL (MAMMALIAN)	0.2
EGGS	*0.02
MEAT (MAMMALIAN)	0.05
MILKS	0.02
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.01
RYE	*0.01
TRITICALE	*0.01
WHEAT	*0.01
FENOXYCARB	
FENOXYCARB	
BRASSICA (COLE OR CABBAGE) VEGETABLES	T0.5
CURRENTS, BLACK	T2
CURRENTS, RED	2
GOOSEBERRY	2
GRAPES	T2
MACADAMIA NUTS	0.05
POME FRUITS	T2
STONE FRUITS	T0.5
FENPICLONIL	
FENPICLONIL	
COTTON SEED	0.02
FENPYROXIMATE	
FENPYROXIMATE	
APPLE	0.3
PEAR	0.3

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

FENTHION	
SUM OF FENTHION, ITS OXYGEN ANALOGUE, AND THEIR SULFOXIDES AND SULFONES, EXPRESSED AS FENTHION	
CATTLE, EDIBLE OFFAL OF	1
CATTLE MEAT	1
CITRUS FRUITS	2
EGGS	*0.05
FIG	2
FRUITING VEGETABLES, CUCURBITS	2
FRUITING VEGETABLES, OTHER THAN CUCURBITS	2
GRAPES	2
GUAVA	2
MILKS	0.2
PERSIMMON, JAPANESE	2
PIG, EDIBLE OFFAL OF	0.5
PIG MEAT	0.5
POME FRUITS	2
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
SHEEP, EDIBLE OFFAL OF	0.2
SHEEP MEAT	0.2
STONE FRUITS	5
TROPICAL AND SUB-TROPICAL FRUITS - INEDIBLE PEEL	2
FENTIN	
FENTIN HYDROXIDE, EXCLUDING INORGANIC TIN AND DI- AND MONO-PHENYLTIN	
CACAO BEANS	*0.1
CARROT	0.2
CELERIAC	0.1
CELERY	1
COFFEE BEANS	*0.1
PEANUT	*0.05
PECAN	*0.05
POTATO	0.1
RICE	*0.1
SUGAR BEET	0.2

FENVALERATE	
FENVALERATE, SUM OF ISOMERS	
BRASSICA (COLE OR CABBAGE) VEGETABLES	1
BRASSICA LEAFY VEGETABLES	1
CATTLE MEAT (IN THE FAT)	0.2
CEREAL GRAINS	2
CELERY	2
EDIBLE OFFAL (MAMMALIAN)	0.02
GOAT MEAT (IN THE FAT)	0.5
GRAPES	*0.05
LEGUME VEGETABLES	0.5
MILKS (IN THE FAT)	0.2
OILSEED	0.5
POME FRUITS	1
PULSES	0.5
SHEEP MEAT (IN THE FAT)	0.5
STONE FRUITS	1
STRAWBERRY	1
SWEET CORN (CORN-ON-THE- COB)	0.05
TOMATO	0.2
WHEAT BRAN, UNPROCESSED	5
FIPRONIL	
SUM OF FIPRONIL, THE SULPHENYL METABOLITE (5-AMINO-1-[2,6-DICHLORO-4- (TRIFLUOROMETHYL)PHENYL]-4- [(TRIFLUOROMETHYL) SULPHENYL]-1H- PYRAZOLE-3-CARBONITRILE), THE SULPHONYL METABOLITE (5-AMINO-1-[2,6- DICHLORO-4-(TRIFLUOROMETHYL)PHENYL]-4- [(TRIFLUOROMETHYL)SULPHONYL]-1H- PYRAZOLE-3-CARBONITRILE), AND THE TRIFLUOROMETHYL METABOLITE (5-AMINO-4-TRIFLUOROMETHYL- 1-[2,6-DICHLORO-4- (TRIFLUOROMETHYL)PHENYL]-1H-PYRAZOLE- 3-CARBONITRILE)	
BANANA	0.01
BRASSICA (COLE OR CABBAGE) VEGETABLES	TO.05
BROCCOLI	0.03
BRUSSEL SPROUTS	0.1
CABBAGES, HEAD	0.03
COTTON SEED	0.1
COTTON SEED OIL, CRUDE	0.05

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

CAULIFLOWER	0.03
MUSHROOMS	0.05
PEANUT	0.02
PEANUT OIL, CRUDE	0.05
PECAN	0.01
POTATO	0.05
RICE	*0.005
SORGHUM	0.005
SUGAR CANE	0.1
FLAMPROP-M-METHYL	
SEE FLAMPROP-METHYL	
FLAMPROP-METHYL	
FLAMPROP-METHYL	
EDIBLE OFFAL (MAMMALIAN)	*0.01
LUPIN (DRY)	0.05
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
SAFFLOWER SEED	*0.05
TRITICALE	0.05
WHEAT	0.05
FLAVOPHOSPHOLIPOL	
FLAVOPHOSPHOLIPOL	
EGGS	*0.02
FLUAZIFOP-BUTYL	
FLUAZIFOP-BUTYL	
AVOCADO	*0.02
BANANA	*0.02
BERRIES AND OTHER SMALL FRUITS	0.2
BRASSICA (COLE OR CABBAGE) VEGETABLES	1
CARROT	0.1
CELERY	*0.02
CHERVIL	1
CITRUS FRUIT	0.02
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
ENDIVE	0.05
FRUITING VEGETABLES, CUCURBITS	0.1

GALANGAL, RHIZOMES	1
GARLIC	0.05
GINGER, ROOT	0.05
HERBS	1
HOPS, DRY	0.05
LEEK	0.2
LEGUME VEGETABLES	0.1
LETTUCE, HEAD	0.05
LETTUCE, LEAF	0.05
LUPIN (DRY)	0.1
MEAT (MAMMALIAN)	*0.05
MILKS	0.1
OILSEED	0.5
ONION, BULB	0.05
PEPPERS, SWEET	*0.02
POME FRUITS	*0.01
POTATO	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
RUCOLA (ROCKET)	1
STONE FRUITS	0.05
TOMATO	0.1
TROPICAL AND SUB-TROPICAL FRUITS – INEDIBLE PEEL [EXCEPT AVOCADO AND BANANA]	0.05
TURMERIC ROOT	1
FLUAZINAM	
FLUAZINAM	
BRASSICA (COLE OR CABBAGE) VEGETABLES	0.01
FLUAZURON	
FLUAZURON	
CATTLE, EDIBLE OFFAL OF	0.5
CATTLE MEAT (IN THE FAT)	7
FLUCYTHRINATE	
FLUCYTHRINATE	
COTTON SEED	*0.1
COTTON SEED OIL, CRUDE	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
FLUDIOXONIL	
FLUDIOXONIL	
GRAPES	T2
POTATO	0.05
FLUFENOXURON	
FLUFENOXURON	
SHEEP MEAT (IN THE FAT)	0.1
SHEEP, EDIBLE OFFAL OF	0.05
FLUMETHRIN	
FLUMETHRIN, SUM OF ISOMERS	
CATTLE, EDIBLE OFFAL OF	T0.05
CATTLE MEAT (IN THE FAT)	0.2
CATTLE MILK	T0.05
HONEY	0.005
HORSE, EDIBLE OFFAL OF	0.1
HORSE MEAT	0.1
FLUMETSULAM	
FLUMETSULAM	
BARLEY	0.05
EGGS	*0.1
GARDEN PEA	*0.1
MAIZE	0.05
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
OATS	0.05
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
PULSES	0.05
PEANUT	0.05
RYE	0.05
TRITICALE	0.05
WHEAT	*0.05

FLUPROPANATE	
FLUPROPANATE	
EDIBLE OFFAL (MAMMALIAN)	0.1
MEAT (MAMMALIAN) (IN THE FAT)	0.1
FLUOMETURON	
SUM OF FLUOMETURON AND 4-TRIFLUOROMETHYLANILINE, EXPRESSED AS FLUOMETURON	
CEREAL GRAINS	*0.1
CITRUS FRUITS	0.5
COTTON SEED	*0.1
PINEAPPLE	*0.1
FLUORINE (INORGANIC SALTS)	
FLUORIDE ION	
CEREAL GRAINS	7
FRUIT	7
VEGETABLES	7
FLUQUINCONAZOLE	
FLUQUINCONAZOLE	
APPLE	T0.5
PEAR	T0.5
FLUROXYPYR	
FLUROXYPYR	
CEREAL GRAINS	0.2
EDIBLE OFFAL (MAMMALIAN)	2
MEAT (MAMMALIAN)	0.1
SUGAR CANE (IN THE JUICE)	0.2
SWEET CORN (CORN-ON-THE-COB)	0.2
FLUSILAZOLE	
FLUSILAZOLE	
BANANA	0.2
GRAPES	0.5
POME FRUITS	0.2

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

STONE FRUITS	0.05
SUGAR CANE	*0.02
FLUTRIAFOL	
FLUTRIAFOL	
BARLEY	0.2
CEREAL GRAINS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.02
EDIBLE OFFAL (MAMMALIAN)	0.5
EGGS	0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	0.05
POULTRY, MEAT	0.05
RAPE SEED	*0.02
FLUVALINATE	
FLUVALINATE, SUM OF ISOMERS	
APPLE	0.1
BRASSICA (COLE OR CABBAGE) VEGETABLES	0.5
COTTON SEED	T0.1
HONEY	0.01
NECTARINE	0.1
TABLE GRAPES	0.05
TOMATO	0.5
FORMOTHION	
FORMOTHION	
CEREAL GRAINS	T*0.05
EDIBLE OFFAL (MAMMALIAN)	T*0.05
EGGS	T*0.05
FRUIT	T2
MEAT (MAMMALIAN)	T*0.05
MILKS	T*0.05
OILSEED [EXCEPT PEANUT]	T0.1
PEANUT	T*0.05
PEPPERS, SWEET	T1
POULTRY, EDIBLE OFFAL OF	T*0.05
POULTRY MEAT	T*0.05
TOMATO	T1

VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	T2
FOSETYL ALUMINIUM	
FOSETYL	
APPLE	1
AVOCADO	5
DURIAN	5
PEACH	1
PINEAPPLE	5
GLUFOSINATE AND GLUFOSINATE AMMONIUM	
SUM OF GLUFOSINATE-AMMONIUM AND 3-[HYDROXY(METHYL)-PHOSPHINOYL] PROPIONIC ACID, EXPRESSED AS GLUFOSINATE (FREE ACID)	
BERRIES AND OTHER SMALL FRUITS	0.1
CITRUS FRUITS	0.1
EDIBLE OFFAL (MAMMALIAN)	5
MEAT (MAMMALIAN)	0.1
MILKS	0.05
POME FRUIT	0.1
STONE FRUIT	0.05
TREE NUTS	0.1
TROPICAL AND SUB-TROPICAL FRUIT - INEDIBLE PEEL	0.2
GLYPHOSATE	
GLYPHOSATE	
AVOCADO	*0.05
BABACO	*0.05
BANANA	0.2
BARLEY	20
BERRIES AND OTHER SMALL FRUITS	*0.05
BULB VEGETABLES	*0.1
CEREAL GRAINS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1
CITRUS FRUITS	0.5
COTTON SEED	1
COTTON SEED OIL, CRUDE	*0.1
CUSTARD APPLE	*0.05

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

EDIBLE OFFAL (MAMMALIAN)	2
EGGS	*0.05
FIG	*0.05
FRUITING VEGETABLES, CUCURBITS	*0.1
FRUITING VEGETABLES, OTHER THAN CUCURBITS	*0.1
GUAVA	*0.05
KIWIFRUIT	*0.05
LEAFY VEGETABLES	*0.1
LEGUME VEGETABLES	*0.1
LITCHI	0.2
MANGO	*0.05
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
MONSTERO	*0.05
OILSEED [EXCEPT COTTON SEED]	*0.1
OLIVES	*0.1
PAPAYA (PAWPAW)	*0.05
PERSIMMON, AMERICAN	*0.05
PERSIMMON, JAPANESE	*0.05
POME FRUITS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
PULSES	*0.1
RAPE SEED	T5
RAPE SEED OIL, CRUDE	T0.05
RAPE SEED, EDIBLE	T0.05
ROLLINIA	*0.05
ROOT AND TUBER VEGETABLES	*0.1
STALK AND STEM VEGETABLES	*0.01
STONE FRUITS	0.2
SUGAR CANE	*0.05
TREE NUTS	0.2
WHEAT	5
WHEAT BRAN, UNPROCESSED	20
GUAZATINE	
GUAZATINE	
CITRUS FRUITS	5
MELONS, EXCEPT WATERMELON	5
TOMATO	5

HALOFUGINONE	
HALOFUGINONE	
POULTRY, EDIBLE OFFAL OF	1
POULTRY MEAT	*0.05
HALOSULFURON-METHYL	
HALOSULFURON-METHYL	
COTTON SEED	*0.05
EDIBLE OFFAL (MAMMALIAN)	T0.2
MAIZE	*0.05
MEAT (MAMMALIAN)	T*0.01
MILKS	T*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
SORGHUM	0.05
SOYA BEAN (IMMATURE SEEDS)	0.5
SOYA BEAN (DRY)	0.5
SUGAR CANE	*0.05
WHEAT	0.2
HALOXYFOP	
SUM OF HALOXYFOP, ITS ESTERS AND CONJUGATES, EXPRESSED AS HALOXYFOP	
BERRIES AND OTHER SMALL FRUITS	*0.05
CATTLE FAT	0.1
CATTLE, EDIBLE OFFAL OF	0.5
CATTLE MEAT	0.02
CATTLE MILK	0.02
CITRUS FRUITS	*0.05
COTTON SEED	0.1
EGGS	0.05
GARLIC	0.05
ONION, BULB	0.05
PEANUT	0.05
PERSIMMON, JAPANESE	*0.05
POME FRUITS	*0.05
POULTRY, EDIBLE OFFAL OF	0.5
POULTRY FATS	0.5
POULTRY MEAT	0.2
PULSES	0.05
RAPE SEED	0.1
STONE FRUITS	*0.05
SUNFLOWER SEED	*0.02

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

TREE NUTS	*0.05
TROPICAL AND SUB-TROPICAL FRUITS - INEDIBLE PEEL	*0.05
HEXAACONAZOLE	
HEXAACONAZOLE	
APPLE	0.1
GRAPES	0.05
PEAR	0.1
HEXAZINONE	
HEXAZINONE	
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.05
MEAT (MAMMALIAN)	*0.1
MILKS	*0.05
PINEAPPLE	1
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.1
SUGAR CANE	*0.1
HEXYTHIAZOX	
HEXYTHIAZOX	
BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES]	1
POME FRUITS	1
STONE FRUITS	1
HYDROGEN PHOSPHIDE	
SEE PHOSPHINE	
IMAZALIL	
IMAZALIL	
CHICKEN, EDIBLE OFFAL OF	*0.01
CHICKEN MEAT	*0.01
CITRUS FRUITS	10
POME FRUITS	5
POTATO	5

IMAZAPIC	
SUM OF IMAZAPIC AND ITS HYDROXYMETHYL DERIVATIVE	
EDIBLE OFFAL (MAMMALIAN)	0.05
EGGS	0.01
MEAT (MAMMALIAN) (IN THE FAT)	0.05
MILKS	0.01
POULTRY, EDIBLE OFFAL OF	0.01
POULTRY MEAT	0.01
SUGAR CANE	0.05
IMAZETHAPYR	
IMAZETHAPYR	
EDIBLE OFFAL (MAMMALIAN)	0.1
EGGS	0.1
LEGUME VEGETABLES	0.1
MEAT (MAMMALIAN)	0.1
MILKS	0.1
PEANUT	0.1
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.1
PULSES	0.1
IMIDACLOPRID	
SUM OF IMIDACLOPRID AND METABOLITES CONTAINING THE 6- CHLOROPYRIDINYMETHYLENEMOIEITY, EXPRESSED AS IMIDACLOPRID	
APPLE	0.5
CELERY	0.05
CEREAL GRAINS	0.05
COTTON SEED	T*0.02
EGGS	*0.02
EDIBLE OFFAL (MAMMALIAN)	0.05
FRUITING VEGETABLES, CUCURBITS	0.2
FRUITING VEGETABLES, OTHER THAN CUCURBITS	0.5
LUPIN (DRY)	0.05
MAIZE	0.02
MEAT (MAMMALIAN)	*0.02
MILKS	*0.02
POTATO	0.5
POULTRY, EDIBLE OFFAL OF	*0.02

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

POULTRY MEAT	*0.02
RAPE SEED	0.05
SORGHUM	0.02
STONE FRUITS	0.5
SUGAR CANE	0.02
SUNFLOWER SEED	0.02
SWEET POTATO	0.05
IMIDOCARB (DIPROPIONATE SALT)	
IMIDOCARB	
CATTLE, EDIBLE OFFAL OF	5
CATTLE MEAT	1
CATTLE MILK	0.2
INORGANIC BROMIDE	
BROMIDE ION	
AVOCADO	75
CEREAL GRAINS	50
CITRUS FRUITS	30
DATES, DRIED	100
DRIED FRUITS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	30
DRIED GRAPES	100
DRIED HERBS	400
DRIED PEACH	50
FIGS, DRIED	250
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	20
PEPPERS, SWEET	50
PRUNES	20
SPICES	400
STRAWBERRY	30
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	20
IOXYNIL	
IOXYNIL	
LEEK	0.02
ONION, BULB	0.02
SUGAR CANE	0.02
SUGAR CANE MOLASSES	0.02

IPRODIONE	
IPRODIONE	
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	0.2
BERRIES AND OTHER SMALL FRUITS [EXCEPT GRAPES]	12
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	0.2
CELERY	2
EDIBLE OFFAL (MAMMALIAN)	*0.1
GRAPES	20
HERBS	5
KIWIFRUIT	10
LETTUCE, HEAD	5
LETTUCE, LEAF	5
LUPIN (DRY)	*0.1
MACADAMIA NUTS	0.2
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
PASSIONFRUIT	10
PEANUT	0.05
POME FRUITS	3
POTATO	*0.05
RAPE SEED	1
SOYA BEAN (DRY)	0.05
STONE FRUITS	10
TARO	*0.05
TOMATO	2
TURMERIC ROOT	5
ISOEUGENOL	
ISOEUGENOL, SUM OF CIS- AND TRANS-ISOMERS	
DIADROMOUS FISH (WHOLE COMMODITY)	100
FRESHWATER FISH (WHOLE COMMODITY)	100
MARINE FISH (WHOLE COMMODITY)	100
ISOFENPHOS	
ISOFENPHOS	
BANANA	*0.02
SUGAR CANE	*0.01

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

IVERMECTIN	
IVERMECTIN, SUM OF ISOMERS	
CATTLE KIDNEY	0.01
CATTLE LIVER	0.1
CATTLE MEAT (IN THE FAT)	0.04
CATTLE MILK	0.02
DEER KIDNEY	0.01
DEER LIVER	0.01
DEER MEAT (IN THE FAT)	0.01
HORSE, EDIBLE OFFAL OF	0.01
HORSE MEAT	0.01
PIG KIDNEY	0.01
PIG LIVER	0.01
PIG MEAT (IN THE FAT)	0.02
SHEEP KIDNEY	0.01
SHEEP LIVER	0.01
SHEEP MEAT (IN THE FAT)	0.05
KITASAMYCIN	
INHIBITORY SUBSTANCE, IDENTIFIED AS KITASAMYCIN	
EGGS	*0.2
PIG, EDIBLE OFFAL OF	*0.2
PIG MEAT	*0.2
POULTRY, EDIBLE OFFAL OF	*0.2
POULTRY MEAT	*0.2
LASALOCID	
LASALOCID	
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
LENACIL	
LENACIL	
STRAWBERRY	T*0.04
LUFENURON	
LUFENURON	
COTTON SEED	0.02

LEVAMISOLE	
LEVAMISOLE	
EDIBLE OFFAL (MAMMALIAN)	1
EGGS	1
GOAT MILK	0.1
MEAT (MAMMALIAN)	0.1
MILKS [EXCEPT GOAT MILK]	0.3
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.1
LINCOMYCIN	
INHIBITORY SUBSTANCE, IDENTIFIED AS LINCOMYCIN	
EDIBLE OFFAL (MAMMALIAN) [EXCEPT SHEEP, EDIBLE OFFAL OF]	0.1
GOAT MILK	*0.1
MEAT (MAMMALIAN) [EXCEPT SHEEP MEAT]	0.1
LINDANE	
LINDANE	
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.5
MEAT (MAMMALIAN) (IN THE FAT)	2
MILKS (IN THE FAT)	0.2
LINURON	
SUM OF LINURON PLUS 3,4-DICHLOROANILINE, EXPRESSED AS LINURON	
CEREAL GRAINS	*0.05
CORIANDER, SEED	0.2
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	0.05
HERBS	0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	0.05
POULTRY MEAT	0.05
TURMERIC ROOT	0.05
VEGETABLES	*0.05

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

MADURAMICIN	
MADURAMICIN	
POULTRY, EDIBLE OFFAL OF	1
POULTRY MEAT	0.1
MAGNESIUM PHOSPHIDE	
SEE PHOSPHINE	
MALATHION	
SEE MALDISON	
MALDISON	
MALDISON	
BEANS (DRY)	8
BLACKCURRANTS	2
BLUEBERRIES	0.5
CAULIFLOWER	0.5
CEREAL GRAINS	8
CHARD (SILVER BEET)	0.5
CITRUS FRUITS	4
DRIED FRUITS	8
EDIBLE OFFAL (MAMMALIAN)	1
EGG PLANT	0.5
EGGS	1
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2
GARDEN PEA	0.5
GRAPES	8
KALE	3
KOHLRABI	0.5
LENTIL (DRY)	8
MEAT (MAMMALIAN) (IN THE FAT)	1
MILKS (IN THE FAT)	1
PEANUT	8
PEAR	0.5
PEPPERS, SWEET	0.5
POULTRY, EDIBLE OFFAL OF	1
POULTRY MEAT (IN THE FAT)	1
ROOT AND TUBER VEGETABLES	0.5
STRAWBERRY	1
TOMATO	3

TREE NUTS	8
TURNIP, GARDEN	0.5
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2
WHEAT BRAN, UNPROCESSED	20
MALEIC HYDRAZIDE	
SUM OF FREE AND CONJUGATED MALEIC HYDRAZIDE, EXPRESSED AS MALEIC HYDRAZIDE	
GARLIC	15
ONION, BULB	15
POTATO	50
MANCOZEB	
SEE DITHIOCARBAMATES	
MCPA	
MCPA	
CEREAL GRAINS	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
MCPB	
MCPB	
CEREAL GRAINS	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
LEGUME VEGETABLES	*0.02
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
PULSES	*0.02

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

MEBENDAZOLE	
MEBENDAZOLE	
EDIBLE OFFAL (MAMMALIAN)	*0.02
MEAT (MAMMALIAN)	*0.02
MILKS	0.02
MECOPROP	
MECOPROP	
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
MEFENPYR-DIETHYL	
MEFENPYR-DIETHYL	
CEREAL GRAINS	0.01
EDIBLE OFFAL (MAMMALIAN)	0.05
EGGS	0.01
MEAT (MAMMALIAN)	0.05
MILKS	0.01
POULTRY, EDIBLE OFFAL OF	0.05
POULTRY MEAT	0.05
MEPIQUAT	
MEPIQUAT	
COTTON SEED	1
COTTON SEED OIL, CRUDE	0.2
EDIBLE OFFAL (MAMMALIAN)	0.1
EGGS	0.05
MEAT (MAMMALIAN)	0.1
MILKS	0.05
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.1
METALAXYL	
METALAXYL	
AVOCADO	0.5
BULB VEGETABLES	0.1

FRUITING VEGETABLES, CUCURBITS	0.2
GRAPES	1
LEAFY VEGETABLES	0.3
MACADAMIA NUTS	1
PINEAPPLE	0.1
POME FRUITS	0.2
STONE FRUITS	0.2
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1
METALDEHYDE	
METALDEHYDE	
FRUIT	1
HERBS	1
VEGETABLES	1
TURMERIC ROOT	1
METHABENZTHIAZURON	
METHABENZTHIAZURON	
CEREAL GRAINS	*0.05
GRAPES	0.1
LEEK	0.05
ONION, BULB	*0.05
METHACRIFOS	
METHACRIFOS	
BARLEY	T10
PEAS (DRY)	5
WHEAT	T10
WHEAT BRAN, UNPROCESSED	T20
WHEAT GERM	T30
METHAM SEE DITHIOCARBAMATES	
SEE DITHIOCARBAMATES	
METHAM-SODIUM	
SEE METHAM	

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

METHAMIDOPHOS	
METHAMIDOPHOS	
SEE ALSO ACEPHATE	
BANANAS	0.2
BANANAS, DWARF	0.2
BRASSICA (COLE OR CABBAGE VEGETABLES)	1
CELERY	2
CITRUS FRUITS	0.5
COTTON SEED	0.1
CUCUMBER	0.5
EGG PLANT	1
HOPS, DRY	5
LETTUCE, HEAD	1
LETTUCE, LEAF	1
LUPIN (DRY)	0.5
MILKS	*0.01
PEACH	1
PEANUT	*0.02
PEPPERS, SWEET	2
POTATO	0.25
RAPE SEED	0.1
SOYA BEAN (DRY)	0.1
SUGAR BEET	0.05
TOMATO	2
TREE TOMATO (TAMARILLO)	*0.01
METHAZOLE	
METHAZOLE	
ONION, BULB	T*0.1
METHIDATHION	
METHIDATHION	
APPLE	0.2
AVOCADO	0.5
BRASSICA (COLE OR CABBAGE) VEGETABLES	0.1
CATTLE, EDIBLE OFFAL OF	0.5
CATTLE MEAT (IN THE FAT)	0.5
CEREAL GRAINS	*0.01
CITRUS FRUITS [EXCEPT MANDARINS]	2
CUSTARD APPLE	0.2

EDIBLE OFFAL (MAMMALIAN) [EXCEPT CATTLE, EDIBLE OFFAL OF]	0.05
EGGS	*0.05
FRUITING VEGETABLES, OTHER THAN CUCURBITS	0.1
GARLIC	*0.01
GRAPES	0.5
LEGUME VEGETABLES	0.1
LETTUCE, HEAD	1
LETTUCE, LEAF	1
LONGAN	0.5
MACADAMIA NUTS	*0.01
MANDARINS	5
MANGO	2
MEAT (MAMMALIAN) [EXCEPT CATTLE MEAT (IN THE FAT)]	*0.05
MILKS (IN THE FAT)	0.5
OILSEED	1
ONION, BULB	*0.01
PASSIONFRUIT	0.2
PEAR	0.2
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
PULSES	0.1
ROOT AND TUBER VEGETABLES	*0.01
STONE FRUITS	*0.01
STRAWBERRY	*0.01
TOMATO	0.1
VEGETABLE OILS, EDIBLE	0.1
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1
METHIOCARB	
SUM OF METHIOCARB, ITS SULFOXIDE AND SULFONE, EXPRESSED AS METHIOCARB	
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1
GRAPES	0.5
VEGETABLES	0.1
WINE	0.1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

METHOMYL	
SUM OF METHOMYL AND METHYL HYDROXYTHIOACETIMIDATE ('METHOMYL OXIME'), EXPRESSED AS METHOMYL	
<i>SEE ALSO THIODICARB</i>	
APPLE	1
AVOCADO	0.05
BLACKBERRIES	2
BLUEBERRIES	2
CABBAGES, HEAD	1
CEREAL GRAINS	*0.1
CHERRIES	2
CITRUS FRUITS	1
COTTON SEED	*0.1
DRIED GRAPES	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.02
FRUITING VEGETABLES, OTHER THAN CUCURBITS	1
GINGER, ROOT	*0.1
GRAPES	2
HOPS, DRY	0.5
LEAFY VEGETABLES	1
LEGUME VEGETABLES	1
LINSEED	*0.1
MEAT (MAMMALIAN)	0.05
MILKS	0.05
MINTS	0.5
NECTARINE	1
PEACH	1
PEANUT	*0.05
PEAR	3
PLANTAGO OVATA SEED	0.05
POPPY SEED	*0.05
POTATO	1
POULTRY, EDIBLE OFFAL OF	*0.02
POULTRY MEAT	*0.02
PULSES	1
RAPE SEED	0.5
SESAME SEED	*0.1
STRAWBERRY	0.5
SUNFLOWER SEED	*0.1
SWEET CORN (CORN-ON-THE-COB)	0.1

METHOPRENE	
METHOPRENE, SUM OF CIS- AND TRANS-ISOMERS	
CATTLE MILK	0.1
CEREAL GRAINS	2
EDIBLE OFFAL (MAMMALIAN)	0.01
MEAT (MAMMALIAN)	0.3
WHEAT BRAN, UNPROCESSED	5
WHEAT GERM	10
METHYL BENZOQUATE	
METHYL BENZOQUATE	
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.1
METHYL BROMIDE	
METHYL BROMIDE	
CEREAL GRAINS	50
DRIED FRUITS	0.05
FRUIT	0.05
HERBS	0.05
SPICES	0.05
VEGETABLES	0.05
METIRAM	
<i>SEE DITHIOCARBAMATES</i>	
METOLACHLOR	
METOLACHLOR	
ASPARAGUS	0.02
BEANS, EXCEPT BROAD BEAN AND SOYA BEAN	0.02
BRASSICA (COLE OR CABBAGE) VEGETABLES	*0.02
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	0.05
CEREAL GRAINS [EXCEPT MAIZE AND SORGHUM]	*0.01
COTTON SEED	*0.05
EDIBLE OFFAL (MAMMALIAN)	0.5
FRUITING VEGETABLES, CUCURBITS	*0.05

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

MAIZE	0.1
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
PEANUT	*0.05
RAPE SEED	*0.02
SAFFLOWER SEED	*0.05
SESAME SEEDS	0.05
SORGHUM	*0.05
SOYA BEAN (DRY)	*0.05
SUGAR CANE	*0.05
SUNFLOWER SEED	*0.05
SWEET CORN (KERNELS)	0.1
SWEET POTATO	*0.2
METOSULAM	
METOSULAM	
CEREAL GRAINS	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.01
EGGS	*0.01
LUPIN (DRY)	*0.02
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
METRIBUZIN	
METRIBUZIN	
ASPARAGUS	0.2
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
PEAS, SHELLLED	*0.05
POTATO	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
PULSES [EXCEPT SOYA BEAN (DRY)]	*0.01
SOYA BEAN (DRY)	*0.05
TOMATO	0.1

METSULFURON-METHYL	
METSULFURON-METHYL	
CEREAL GRAINS	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
SAFFLOWER SEED	*0.02
MEVINPHOS	
MEVINPHOS	
BRASSICA (COLE OR CABBAGE) VEGETABLES	T0.25
EDIBLE OFFAL (MAMMALIAN)	T*0.05
MEAT (MAMMALIAN)	T*0.05
MOLINATE	
MOLINATE	
RICE	*0.05
MONENSIN	
MONENSIN	
CATTLE, EDIBLE OFFAL OF	*0.05
CATTLE MEAT	*0.05
CATTLE MILK	*0.01
GOAT, EDIBLE OFFAL OF	*0.05
GOAT MEAT	*0.05
POULTRY, EDIBLE OFFAL OF	0.5
POULTRY MEAT (IN THE FAT)	0.5
MONOCROTOPHOS	
MONOCROTOPHOS	
APPLE	0.5
BANANA	0.5
BEANS, EXCEPT BROAD BEAN AND SOYA BEAN	0.2
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	0.2
CEREAL GRAINS	*0.02
COTTON SEED	0.1
EDIBLE OFFAL (MAMMALIAN)	*0.02
EGGS	*0.02
MEAT (MAMMALIAN)	*0.02

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

MILKS	0.002
PEAR	0.5
POTATO	0.1
POULTRY, EDIBLE OFFAL OF	*0.02
POULTRY MEAT	*0.02
SWEET CORN (CORN-ON-THE-COB)	*0.01
TOMATO	0.5
VEGETABLE OILS, EDIBLE	*0.05
MORANTEL	
MORANTEL	
CATTLE, EDIBLE OFFAL OF	2
GOAT, EDIBLE OFFAL OF	2
MEAT (MAMMALIAN)	0.3
MILKS	*0.1
PIG, EDIBLE OFFAL OF	5
SHEEP, EDIBLE OFFAL OF	2
MOXIDECTIN	
MOXIDECTIN	
CATTLE, EDIBLE OFFAL OF	0.5
CATTLE MEAT (IN THE FAT)	1
CATTLE MILK (IN THE FAT)	2
DEER MEAT (IN THE FAT)	1
DEER, EDIBLE OFFAL OF	0.2
SHEEP, EDIBLE OFFAL OF	0.05
SHEEP MEAT (IN THE FAT)	0.5
MSMA	
TOTAL ARSENIC, EXPRESSED AS MSMA	
SUGAR CANE	0.3
MYCLOBUTANIL	
MYCLOBUTANIL	
GRAPES	1
POME FRUITS	0.5
NAPHTHALENE ACETIC ACID	
1-NAPHTHELENE ACETIC ACID	
APPLE	1

PEAR	1
PINEAPPLE	1
NAPHTHALOPHOS	
NAPHTHALOPHOS	
GOAT, EDIBLE OFFAL OF	*0.1
GOAT MEAT	*0.1
SHEEP, EDIBLE OFFAL OF	*0.01
SHEEP MEAT	*0.01
NAPHTHOXYACETIC ACID	
2-NAPHTHOXYACETIC ACID	
TOMATO	T1
NAPROPAMIDE	
NAPROPAMIDE	
ALMONDS	*0.1
BERRIES AND OTHER SMALL FRUITS	*0.1
STONE FRUITS	*0.1
TOMATO	*0.1
NAPTALAM	
NAPTALAM	
FRUITING VEGETABLES, CUCURBITS	*0.1
NARASIN	
NARASIN	
CATTLE, EDIBLE OFFAL OF	0.05
CATTLE MEAT	0.05
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.1
NEOMYCIN	
INHIBITORY SUBSTANCE, IDENTIFIED AS NEOMYCIN	
EDIBLE OFFAL (MAMMALIAN)	*0.5
FATS (MAMMALIAN) [EXCEPT MILK FATS]	*0.02

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

MEAT (MAMMALIAN)	*0.5
MILKS (IN THE FAT)	*0.02
NETOBIMIN	
SEE ALBENDAZOLE	
NICARBAZIN	
NICARBAZIN	
POULTRY, EDIBLE OFFAL OF	20
POULTRY MEAT	5
NITROTHAL-ISOPROPYL	
NITROTHAL-ISOPROPYL	
APPLE	1
NITROXYNIL	
NITROXYNIL	
CATTLE, EDIBLE OFFAL OF	1
CATTLE MEAT	1
GOAT, EDIBLE OFFAL OF	1
GOAT MEAT	1
SHEEP, EDIBLE OFFAL OF	1
SHEEP MEAT	1
NORFLURAZON	
NORFLURAZON	
CITRUS FRUITS	0.2
COTTON SEED	0.1
GRAPES	0.1
POME FRUITS	*0.2
STONE FRUITS	*0.2
TREE NUTS	*0.2
NORGESTOMET	
NORGESTOMET	
EDIBLE OFFAL (MAMMALIAN)	*0.0001
MEAT (MAMMALIAN)	*0.0001

NOVOBIOCIN	
NOVOBIOCIN	
CATTLE, EDIBLE OFFAL OF	*0.1
CATTLE MEAT	*0.1
CATTLE MILK	*0.1
ODB	
1,2-DICHLOROBENZENE	
SHEEP, EDIBLE OFFAL OF	*0.01
SHEEP MEAT (IN THE FAT)	*0.01
OLAQUINDOX	
SUM OF OLAQUINDOX AND ALL METABOLITES WHICH REDUCE TO 2-(N-2-HYDROXYETHYL CARBAMOYL)-3-METHYL QUINOXALONE, EXPRESSED AS OLAQUINDOX	
PIG, EDIBLE OFFAL OF	0.3
PIG MEAT	0.3
POULTRY, EDIBLE OFFAL OF	0.3
POULTRY MEAT	0.3
OLEANDOMYCIN	
OLEANDOMYCIN	
EDIBLE OFFAL (MAMMALIAN)	*0.1
MEAT (MAMMALIAN)	*0.1
OMETHOATE	
OMETHOATE	
SEE ALSO DIMETHOATE	
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
FRUIT	2
LUPIN (DRY)	0.1
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
OILSEED	*0.05
PEPPERS, SWEET	1
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
TOMATO	1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	2
OPP	
SEE 2-PHENYLPHENOL	
ORYZALIN	
ORYZALIN	
CEREAL GRAINS	*0.01
FRUIT	0.1
RAPESEED	0.05
TREE NUTS	0.1
OXABETRINIL	
OXABETRINIL	
EDIBLE OFFAL (MAMMALIAN)	*0.1
EGGS	*0.1
MEAT (MAMMALIAN)	*0.1
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
OXADIXYLX	
OXADIXYL	
FRUITING VEGETABLES, CUCURBITS	0.5
GRAPES	2
LETTUCE, HEAD	1
LETTUCE, LEAF	1
ONION, BULB	0.5
OXAMYL	
SUM OF OXAMYL AND 2-HYDROXYIMINO-N,N- DIMETHYL-2-(METHYLTHIO)-ACETAMIDE, EXPRESSED AS OXAMYL	
BANANA	0.2
CEREAL GRAINS	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.02
EGGS	*0.02
MEAT (MAMMALIAN)	*0.02
MILKS	*0.02

POULTRY, EDIBLE OFFAL OF	*0.02
POULTRY FATS	*0.02
POULTRY MEAT	*0.02
TOMATO	*0.05
OXFENDAZOLE	
OXFENDAZOLE	
EDIBLE OFFAL (MAMMALIAN)	3
MEAT (MAMMALIAN)	*0.1
MILKS	0.1
OXOLINIC ACID	
INHIBITORY SUBSTANCE, IDENTIFIED AS OXOLINIC ACID	
SALMON, PACIFIC	*0.01
OXYCARBOXIN	
OXYCARBOXIN	
BEANS, EXCEPT BROAD BEAN AND SOYA BEAN	5
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	5
SALMON, PACIFIC	*0.01
OXYCARBOXIN	
OXYCARBOXIN	
BEANS, EXCEPT BROAD BEAN AND SOYA BEAN	5
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	5
OXYCLOZANIDE	
OXYCLOZANIDE	
CATTLE, EDIBLE OFFAL OF	2
CATTLE MEAT	0.5
GOAT, EDIBLE OFFAL OF	2
GOAT MEAT	0.5
MILKS	0.05
SHEEP, EDIBLE OFFAL OF	2
SHEEP MEAT	0.5

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

OXYFLUORFEN	
OXYFLUORFEN	
CEREAL GRAINS	*0.05
COTTON SEED	T*0.05
EDIBLE OFFAL (MAMMALIAN)	0.01
EGGS	0.05
GARLIC	*0.05
GRAPES	0.05
ONION, BULB	*0.05
MEAT (MAMMALIAN) (IN THE FAT)	0.01
MILKS	0.01
POME FRUITS	0.05
POULTRY, EDIBLE OFFAL OF	0.01
POULTRY MEAT (IN THE FAT)	0.2
STONE FRUITS	0.05
TREE NUTS	0.05
OXYTETRACYCLINE	
INHIBITORY SUBSTANCE, IDENTIFIED AS OXYTETRACYCLINE	
EDIBLE OFFAL (MAMMALIAN)	*0.25
EGGS	*0.3
MEAT (MAMMALIAN)	*0.25
MILKS	*0.1
POULTRY, EDIBLE OFFAL OF	*0.25
POULTRY MEAT	*0.25
SALMON, PACIFIC	T*0.2
OXYTHIOQUINOX	
OXYTHIOQUINOX	
FRUITING VEGETABLES, CUCURBITS	0.5
POME FRUITS	0.5
STONE FRUITS	0.5
PACLOBUTRAZOL	
PACLOBUTRAZOL	
ALMONDS	0.05
PECAN	0.005
POME FRUITS	1
STONE FRUITS	*0.01

TROPICAL AND SUB-TROPICAL FRUITS - INEDIBLE PEEL	*0.01
PARAQUAT	
PARAQUAT CATION	
CEREAL GRAINS [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICALS]	*0.05
COTTON SEED	0.2
COTTON SEED OIL, EDIBLE	0.05
EDIBLE OFFAL (MAMMALIAN)	0.5
EGGS	*0.01
FRUIT [EXCEPT OLIVES]	*0.05
HOPS, DRY	0.2
MAIZE	0.1
MEAT (MAMMALIAN)	*0.05
MILKS	*0.01
OLIVES	1
PEANUT	*0.01
PEANUT, WHOLE	*0.01
POTATO	0.2
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
PULSES	1
RICE	10
RICE, POLISHED	0.5
SUGAR CANE	*0.05
TREE NUTS	*0.05
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	*0.05
PARATHION	
PARATHION	
APRICOT	1
CARROT	0.5
CEREAL GRAINS	0.5
COTTON SEED	1
COTTON SEED OIL, CRUDE	0.5
EDIBLE OFFAL (MAMMALIAN)	*0.05
FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.5
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

PROPICONAZOLE	
PROPICONAZOLE	
AVOCADO	0.02
BANANA	0.2
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN)	1
GRAPES	1
MEAT (MAMMALIAN)	0.1
MILKS	*0.01
MINT OIL	0.2
PEANUT	*0.05
PINEAPPLE	0.05
POPPY SEED	*0.01
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.1
STONE FRUITS	2
SUGAR CANE	*0.02
PROPINEB	
<i>SEE DITHIOCARBAMATES</i>	
PROPOXUR	
PROPOXUR	
POTATO	10
PROPYZAMIDE	
PROPYZAMIDE	
CATTLE, EDIBLE OFFAL OF	*0.2
CATTLE MEAT	*0.05
EGGS	*0.05
LETTUCE, HEAD	1
LETTUCE, LEAF	1
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
PROTHIOFOS	
PROTHIOFOS	
BANANA	*0.01
BRASSICA (COLE OR CABBAGE) VEGETABLES	0.2
GRAPES	2

POME FRUITS	0.05
PYMETROZINE	
PYMETROZINE	
BRASSICA (COLE OR CABBAGE) VEGETABLES, HEAD CABBAGES, FLOWERHEAD CABBAGES	0.1
POTATO	0.02
STONE FRUITS	0.02
PYRAZOPHOS	
PHYRAZOPHOS	
FRUITING VEGETABLES, CUCURBITS	0.2
PYRETHRINS	
SUM OF PYRETHRISNS I AND II, CINERINS I AND II AND JASMOLINS I AND II , DETERMINED AFTER CALIBRATION BY MEANS OF THE INTERNATIONAL PYRETHRUM STANDARD	
CEREAL GRAINS	3
DRIED FRUITS	1
DRIED VEGETABLES	1
FRUIT	1
OILSEED	1
TREE NUTS	1
VEGETABLES	1
PYRIDABEN	
PYRIDABEN	
BANANA	0.5
GRAPES	5
POME FRUITS	0.5
STONE FRUITS	0.5
STRAWBERRY	1
PYRIDATE	
SUM OF PYRIDATE AND METABOLITES CONTAINING 6 CHLORO-4-HYDORXYL-3- PHENYL PYRIDAZINE, EXPRESSED AS PYRIDATE	
CHICK-PEA (DRY)	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.2
EGGS	*0.2
MEAT (MAMMALIAN)	*0.2

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

MILKS	*0.2
PEANUT	*0.1
POULTRY, EDIBLE OFFAL OF	*0.2
POULTRY MEAT	*0.2
PYRIRENOX PYRIFENOX	
APPLE	0.1
GRAPES	0.2
PYRIMETHANIL PYRIMETHANIL	
APPLE	T1.0
GRAPES	5.0
PEAR	T1.0
STRAWBERRY	T5.0
TOMATO	T2.0
PYRITHIOBAC SODIUM PYRITHIOBAC SODIUM	
COTTON SEED	*0.01
COTTON SEED OIL, CRUDE	0.01
COTTON SEED OIL, EDIBLE	0.01
EDIBLE OFFAL (MAMMALIAN)	0.02
EGGS	0.02
MEAT (MAMMALIAN)	0.02
MILKS	0.02
POULTRY, EDIBLE OFFAL OF	0.02
POULTRY MEAT	0.02
QUINTOZENE SUM OF QUINTOZENE , PENTACHLOROANILINE AND METHYL PENTACHLOROPHENYL SULFIDE, EXPRESSED AS QUINTOZENE	
BANANA	1
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	0.01
BRASSICA (COLE OR CABBAGE) VEGETABLES	0.02
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	0.01
CELERY	0.3
COMMON BEAN (DRY)	0.2
COTTON SEED	0.03
LETTUCE, HEAD	0.3
LETTUCE, LEAF	0.3
MUSHROOMS	10

ONION, BULB	0.2
PEANUT	0.3
PEPPERS, SWEET	0.01
POTATO	0.2
TOMATO	0.1
QUINZALOFOP-ETHYL SUM OF QUIZALOFOP-ETHYL AND QUIZALOFOP ID ACID AND OTHER ESTERS, EXPRESSED AS QUIXZALOFOP-ETHYL	
BEETROOT	0.02
CABBAGES, HEAD	*0.01
CARROT	*0.02
CATTLE, EDIBLE OFFAL OF	0.2
CATTLE MEAT	0.2
CAULIFLOWER	*0.05
CHICKEN, EDIBLE OFFAL OF	*0.05
CHICKEN EGGS	*0.05
CHICKEN MEAT	*0.05
COMMON BEAN (PODS AND IMMATURE SEEDS)	*0.02
CUCUMBER	*0.02
GOAT, EDIBLE OFFAL OF	0.2
GOAT MEAT	0.2
GRAPES	*0.02
MELONS [EXCEPT WATERMELON]	*0.02
MILKS	0.2
ONION, BULB	*0.02
PEANUT	*0.02
PINEAPPLE	*0.05
POTATO	*0.01
PULSES	0.1
PUMPKINS	*0.02
RADISH	*0.02
RAPE SEED	*0.02
SAFFLOWER SEED	*0.01
SHEEP, EDIBLE OFFAL OF	0.2
SHEEP MEAT	0.2
SUNFLOWER SEED	*0.05
TOMATO	*0.02
RAFOXANIDE RAFOXANIDE	
CATTLE, EDIBLE OFFAL OF	0.2
CATTLE FAT	0.2
CATTLE MEAT	0.1
GOAT, EDIBLE OFFAL OF	0.2

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

GOAT FAT	0.2
GOAT MEAT	0.1
SHEEP, EDIBLE OFFAL OF	0.2
SHEEP FAT	0.2
SHEEP MEAT	0.1
RIMOSULFURON	
RIMOSULFURON	
TOMATO	0.05
SALINOMYCIN SALINMYCIN	
CATTLE, EDIBLE OFFAL OF	0.5
CATTLE MEAT	*0.05
EGGS	*0.02
PIG, EDIBLE OFFAL OF	*0.1
PIG MEAT	*0.1
POULTRY, EDIBLE OFFAL OF	0.5
POULTRY MEAT	0.1
SETHOXYDIM	
SUM OF SETHOXYDIM AND METABOLITES CONTAINING THE 5-(2- ETHYLTHIOPROPYL)CYCLOHEXENE-3-ONE AND 5-HYDROXYCYCLOHEXENE-3-ONE MOIETIES AND THEIR SULFOXIDES AND SULFOXIDES AND SULFONES, EXPRESSED AS SETHOXYDIM	
ASPARAGUS	1
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	*0.1
BRASSICA (COLE OR CABBAGE) VEGETABLES	0.1
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	*0.1
CELERY	0.1
COTTON SEED	0.2
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
ENDIVE	0.05
FENNEL, BULB	*0.01
FRUITING VEGETABLES, CUCURBITS	*0.1
GARLIC	0.3
LEEK	0.3
LETTUCE, HEAD	0.1
LETTUCE, LEAF	0.1
LUPIN (DRY)	0.2

MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
ONION, BULB	0.3
PEANUT	2
PEANUT OIL, CRUDE	2
PEAS	*0.1
POPPY SEED	0.2
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
PULSES [EXCEPT LUPIN (DRY)]	*0.1
RAPE SEED	0.1
ROOT AND TUBER VEGETABLES	1
SPINACH	*0.1
STRAWBERRY	0.1
SUNFLOWER SEED	*0.1
TOMATO	0.1
SIMAZINE SIMAZINE	
ASPARAGUS	*0.1
BROAD BEAN (DRY)	*0.01
BROAD BEAN (GREEN PODS AND IMMATURE SEEDS)	*0.01
CHICK-PEA (DRY)	*0.05
CHICK-PEA (GREEN PODS)	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.01
EGGS	*0.01
FRUIT	*0.1
LUPIN (DRY)	*0.05
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
PRANWS	0.01
RAPE SEED	0.02
SHRIMPS	0.01
TREE NUTS	0.1
SPECTINOMYCIN	
INHIBITORY SUBSTANCE, IDENTIFIED AS SPECTINOMYCIN	
EDIBLE OFFAL (MAMMALIAN) [EXCEPT SHEEP, EDIBLE OFFAL OF]	1
GOAT MILK	2
MEAT (MAMMALIAN) [EXCEPT SHEEP MEAT]	1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

POULTRY, EDIBLE OFFAL OF	0.7
POULTRY MEAT	0.7
SPINOSAD	
SUM OF SPINOSYN A AND SPINOSYN D	
BRASSICA (COLE OR CABBAGE) VEGETABLES	0.1
COTTONSEED	*0.01
EDIBLE OFFAL (MAMMALIAN)	0.05
EGG PLANT	0.1
EGGS	0.01
GRAPE	0.1
LETTUCE, HEAD	2
LETTUCE, LEAF	2
MEAT (MAMMALIAN) (IN THE FAT)	0.2
MILKS	0.02
PEPPERS	0.1
POME FRUIT	0.1
POULTRY MEAT	0.01
POULTRY, EDIBLE OFFAL OF	0.01
SPINACH	3
SWEET CORN (KERNELS)	0.1
TOMATO	0.1
SPIRAMYCIN	
INHIBITORY SUBSTANCE, IDENTIFIED AS SPIRAMYCIN	
PIG, EDIBLE OFFAL OF	*1
PIG MEAT	*0.1
POULTRY, EDIBLE OFFAL OF	*1
POULTRY MEAT	*0.1
STREPTOMYCIN AND DIHYDRODSTREPTOMYCIN	
INHIBITORY SUBSTANCE, IDENTIFIED AS STREPTOMYCIN OR DIHYDRODSTREPTOMYCIN	
EDIBLE OFFAL (MAMMALIAN)	*0.3
EGGS	*0.2
MEAT (MAMMALIAN)	*0.3
MILKS	*0.2
POULTRY, EDIBLE OFFAL OF	0.3
POULTRY MEAT	0.3

SULPHADIAZINE	
SULPHADIAZINE	
EDIBLE OFFAL (MAMMALIAN)	0.1
MEAT (MAMMALIAN)	0.1
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.1
SULPHADIMIDINE	
SULPHADIMIDINE	
MEAT (MAMMALIAN)	0.1
EDIBLE OFFAL (MAMMALIAN)	0.1
POULTRY, EDIBLE OFFAL OF	0.1
POULTRY MEAT	0.1
SULPHAQUINOXALINE	
SULPHAQUINOXALINE	
POULTRY, EDIBLE OFFAL OF	T0.1
POULTRY MEAT	T0.1
SULPHATROXOZOLE	
SULPHATROXOZOLE	
CATTLE MILK	0.1
EDIBLE OFFAL (MAMMALIAN)	0.1
MEAT (MAMMALIAN)	0.1
SULPHOSULFURON	
SUM OF SULFOSURON AND ITS MEATBOLITES WHICH CAN BE HYDROLYSED TO 2-(ETHYLSULFONYL)IMIDAZO[1,2-A]PYRIDINE, EXPRESSED AS SULFOSULFURON	
EDIBLE OFFAL (MAMMALIAN)	0.005
EGGS	0.005
MEAT (MAMMALIAN)	0.005
MILKS	0.005
POULTRY, EDIBLE OFFAL OF	0.005
POULTRY MEAT	0.005
WHEAT	0.005
SULPROFOS	
SULPROFOS	
COTTON SEED	0.2

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

PEPPERS, SWEET	0.2
TOMATO	1
TEBUCONAZOLE	
TEBUCONAZOLE	
AVOCADO	0.2
BANANA	0.2
BROAD BEAN (DRY)	0.5
BROAD BEAN (GREEN AND IMMATURE SEEDS)	0.5
BULB VEGETABLES	0.01
CEREAL GRAINS	0.2
COTTON SEED	T1
EDIBLE OFFAL (MAMMALIAN)	0.5
EGGS	0.1
MEAT (MAMMALIAN)	0.1
MILKS	0.05
ONION, BULB	0.01
PAPAYA (PAWPAWS)	0.2
PEANUT	0.1
PEAS	0.5
POULTRY, EDIBLE OFFAL OF	0.5
POULTRY MEAT	0.1
TEBUFENOZIDE	
TEBUFENOZIDE	
APPLES	2
AVOCADO	0.1
BLUEBERRIES	2
DRIED GRAPES	T8
GRAPES	2
ORANGES, SWEET, SOUR	1
POME FRUITS	T2
TEBUFENPYRAD	
TEBUFENPYRAD	
PEACH	1
POME FRUITS	1

TEBUTHIURON	
SUM OF TEBUTHIURON, AND HYDROXYDIMETHYLETHYL, N-DIMETHYL AND HYDROXY METHYLAMINE METABOLITES, EXPRESSED AS TEBUTHIURON	
EDIBLE OFFAL (MAMMALIAN)	2
MEAT (MAMMALIAN)	0.5
MILKS	0.2
TEMEPHOS	
SUM OF TEMEPHOS AND TEMEPHOS SULFOXIDE, EXPRESSED AS TEMEPHOS	
CATTLE, EDIBLE OFFAL OF	T2
CATTLE MEAT (IN THE FAT)	5
SHEEP, EDIBLE OFFAL OF	0.5
SHEEP MEAT (IN THE FAT)	3
TERBACIL	
TERBACIL	
ALMONDS	0.5
PEPPERMINT OIL	0.1
POME FRUITS	*0.04
STONE FRUITS	*0.04
TERBUFOS	
SUM OF TERBUFOS, ITS OXYGEN ANALOGUE AND THEIR SULFOXIDES AND SULFONES, EXPRESSED AS TERBUFOS	
BANANA	0.05
CATTLE, EDIBLE OFFAL OF	*0.05
CATTLE MEAT	*0.05
CATTLE MILK	*0.01
CEREAL GRAINS	*0.01
EGGS	*0.01
PEANUT	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
SUNFLOWER SEED	*0.05
TERBUTRYN	
TERBUTRYN	
BEANS [EXCEPT BROAD BEAN AND SOYA BEAN]	*0.1
BROAD BEAN (GREEN PODS AND	*0.1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

IMMATURE SEEDS)	
CEREAL GRAINS	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN) (IN THE FAT)	0.1
MILKS (IN THE FAT)	0.1
PEAS	*0.1
POTATO	*0.1
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT (IN THE FAT)	0.1
SUGAR CANE	*0.05
TETRACHLORVINPHOS TETRACHLORVINPHOS	
EDIBLE OFFAL (MAMMALIAN)	0.05
LEAFY VEGETABLES	2
MEAT (MAMMALIAN)	0.05
MILKS (IN THE FAT)	0.05
TETRACYCLINE	
INHIBITORY SUBSTANCE, IDENTIFIED AS TETRACYCLINE	
MILKS	*0.1
TETRADIFON TETRADIFON	
COTTON SEED	5
FRUIT	5
HOPS, DRY	5
VEGETABLES	5
THIABENDAZOLE	
THIABENDAZOLE OR, IN THE CASE OF ANIMAL PRODUCTS, SUM OF THIABENDAZOLE AND 5- HYDROXYTHIABENDAZOLE, EXPRESSED AS THIABENDAZOLE	
APPLE	10
BANANA	3
CITRUS FRUITS	10
EDIBLE OFFAL (MAMMALIAN)	0.2
MEAT (MAMMALIAN)	0.2
MILKS	0.05
MUSHROOMS	0.5
PEAR	10
POTATO	5

THIDAZURON	
THIDAZURON	
COTTON SEED	*0.5
EDIBLE OFFAL (MAMMALIAN)	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.01
THIFENSULFURON THIFENSULFURON	
CEREAL GRAINS [EXCEPT MAIZE, RICE]	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.01
EGGS	*0.01
MEAT (MAMMALIAN)	*0.01
MILKS	0.01
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
THIOBENCARB	
THIOBENCARB	
RICE	*0.05
THIODICARB	
SUM OF THIODICARB, METHOMYL AND METHOMYLOXIME, EXPRESSED AS THIODICARB SEE ALSO METHOMYL	
BRASSICA LEAFY VEGETABLES	1
COTTON SEED	*0.1
COTTON SEED OIL, CRUDE	*0.1
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.02
MAIZE	*0.1
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
POULTRY, EDIBLE OFFAL OF	0.5
POULTRY MEAT	0.5
PULSES	*0.1
SORGHUM	0.5
SUNFLOWER SEED	0.05
SWEET CORN (CORN-ON-THE- COB)	*0.1
SWEET CORN (KERNELS)	0.1
TOMATO	2

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

THIOMETON	
SUM OF THIOMETON, ITS SULFOXIDE AND SULFONE, EXPRESSED AS THIOMETON	
CEREAL GRAINS	1
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
FRUIT	1
LUPIN (DRY)	0.5
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
OILSEED	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
VEGETABLES	1
THIOPHANATE SEE CARBENDAZIM	
THIOPHANATE-METHYL	
<i>SEE CARBENDAZIM</i>	
THIRAM	
<i>SEE DITHIOCARBAMATES</i>	
TIAMULIN	
TIAMULIN	
PIG, EDIBLE OFFAL OF	*0.1
PIG MEAT	*0.1
POULTRY, EDIBLE OFFAL OF	*0.1
POULTRY MEAT	*0.1
TILMICOSIN	
TILMICOSIN	
CATTLE, EDIBLE OFFAL OF	1
CATTLE MEAT	*0.05
PIG, EDIBLE OFFAL OF	1
PIG MEAT	0.05

TOLCLOFOS-METHYL	
TOLCLOFOS-METHYL	
COTTON SEED	*0.01
POTATO	0.1
TOLTRAZURIL	
SUM OF TOLTRAZURIL, ITS SULFOXIDE AND SULFONE, EXPRESSED AS TOLTRAZURIL	
CHICKEN, EDIBLE OFFAL OF	5
CHICKEN MEAT	2
PIG, EDIBLE OFFAL OF	2
PIG MEAT (IN THE FAT)	1
TRALKOXYDIM	
TRALKOXYDIM	
CEREAL GRAINS	*0.02
TRENBOLONE ACETATE	
THE SUM OF TRENBOLONE ACETATE AND 17 ALPHA - AND 17 BETA-TRENBOLONE, BOTH FREE AND CONJUGATED, EXPRESSED AS TRENBOLONE	
CATTLE, EDIBLE OFFAL OF	0.01
CATTLE MEAT	0.002
PIG, EDIBLE OFFAL OF	0.01
PIG MEAT	0.002
TRIADIMEFON	
SUM OF TRIADIMEFON AND TRIADIMENOL, EXPRESSED AS TRIADIMEFON	
<i>SEE ALSO TRIADIMENOL</i>	
APPLE	1
CEREAL GRAINS	0.5
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.1
FIELD PEA (DRY)	0.1
FRUITING VEGETABLES, CUCURBITS	0.2
FRUITING VEGETABLES, OTHER THAN CUCURBITS	0.2
GARDEN PEA (SHELLED SUCCULENT SEEDS)	0.1
GARDEN PEA (YOUNG PODS,	0.1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

SUCCULENT SEEDS)	
GRAPES	1
FATS (MAMMALIAN)	*0.25
MEAT (MAMMALIAN)	*0.05
MILKS	*0.1
POULTRY, EDIBLE OFFAL OF	0.05
POULTRY MEAT	0.05
SUGAR CANE	*0.05
TRIADIMENOL	
TRIADIMENOL	
<i>SEE ALSO TRIADIMEFON</i>	
BROCCOLI	0.2
CABBAGES, HEAD	0.5
CAULIFLOWER	0.2
CEREAL GRAINS	*0.01
COTTON SEED	T0.01
COTTON SEED OIL, CRUDE	T0.05
EDIBLE OFFAL (MAMMALIAN)	*0.01
EGGS	*0.01
FRUITING VEGETABLES, CUCURBITS	0.5
GRAPES	0.5
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
PAPAYA (PAWPAW)	0.2
POULTRY, EDIBLE OFFAL OF	*0.01
POULTRY MEAT	*0.01
SUGAR CANE	*0.05
TRIALATE	
TRIALATE	
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN) [EXCEPT KIDNEY]	*0.1
KIDNEY OF CATTLE, GOATS, PIGS AND SHEEP	0.2
LEGUME VEGETABLES	*0.05
FATS (MAMMALIAN)	0.2
MEAT (MAMMALIAN)	*0.1
MILKS	*0.1
OILSEED	*0.05
POULTRY, EDIBLE OFFAL OF	0.2
POULTRY FATS	0.2
POULTRY MEAT	*0.1
PULSES	*0.05

TRIASULFURON	
TRIASULFURON	
CEREAL GRAINS	*0.02
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.01
TRIBENURON-METHYL	
TRIBENURON-METHYL	
BARLEY	*0.01
CHICK PEA (DRY)	*0.01
COTTON SEED	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.01
MAIZE	*0.05
MEAT (MAMMALIAN)	*0.01
MILKS	*0.01
MUNG BEAN (DRY)	*0.01
OATS	*0.01
RAPE SEED	*0.01
SORGHUM	*0.01
SOYA BEAN (DRY)	*0.01
SUNFLOWER SEED	*0.01
WHEAT	*0.01
TRIBUFOS	
S,S,S-TRIBUTYL PHOSPHOROTRITHIOATE	
COTTON SEED	0.1
TRICHLORFON	
TRICHLORFON	
BANANA	0.2
BEETROOT	0.2
BRUSSELS SPROUTS	0.2
CATTLE, EDIBLE OFFAL OF	0.1
CATTLE FAT	0.1
CATTLE MEAT	0.1
CAULIFLOWER	0.2
CELERY	0.2
CEREAL GRAINS	0.1
DRIED FRUITS	2
EGGS	*0.05

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

FRUIT [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1
KALE	0.2
MILKS	0.05
OILSEED	0.1
PEACH	0.2
PIG, EDIBLE OFFAL OF	0.1
PIG FAT	0.1
PIG MEAT	0.1
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
PULSES [EXCEPT SOYA BEAN (DRY)]	0.2
SOYA BEAN (DRY)	0.1
SUGAR BEET	0.05
SUGAR CANE	*0.05
SWEET CORN (CORN-ON-THE-COB)	0.2
TREE NUTS	0.1
VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	0.1
TRICHLOROETHYLENE	
TRICHLOROETHYLENE	
CEREAL GRAINS	*0.1
TRICLABENDAZOLE	
TRICLABENDAZOLE	
KIDNEY (MAMMALIAN)	0.5
LIVER (MAMMALIAN)	0.5
MEAT (MAMMALIAN)	0.5
TRICLOPYR	
TRICLOPYR	
CATTLE, EDIBLE OFFAL OF	5
CATTLE MEAT (IN THE FAT)	0.2
EGGS	0.05
GOAT, EDIBLE OFFAL OF	5
GOAT MEAT (IN THE FAT)	0.2
MILKS	0.1
POULTRY, EDIBLE OFFAL OF	0.05
POULTRY MEAT (IN THE FAT)	0.05
SHEEP, EDIBLE OFFAL OF	5
SHEEP MEAT (IN THE FAT)	0.2

SORGHUM	0.1
TRIDEMORPH	
TRIDEMORPH	
BANANA	T*0.05
BARLEY	0.1
FRUITING VEGETABLES, CUCURBITS	0.1
TRIFLUMIZOLE	
SUM OF TRIFLUMIZOLE AND (E)-4-CHLORO-A,A,A-TRIFLUORO-N-(1-AMINO-2-PROPOXYETHYLIDENE)-O-TOLUIDINE, EXPRESSED AS TRIFLUMIZOLE	
GRAPES	0.5
POME FRUITS	0.5
TRIFLUMURON	
TRIFLUMURON	
CEREAL GRAINS	*0.05
EDIBLE OFFAL (MAMMALIAN) [EXCEPT SHEEP, EDIBLE OFFAL OF]	*0.05
EGGS	0.01
MEAT (MAMMALIAN) [EXCEPT SHEEP MEAT, IN THE FAT]	*0.05
MILKS	*0.05
MUSHROOMS	0.1
POULTRY, EDIBLE OFFAL OF	0.01
POULTRY MEAT (IN THE FAT)	0.1
SHEEP, EDIBLE OFFAL OF	0.1
SHEEP MEAT (IN THE FAT)	2
TRIFLURALIN	
TRIFLURALIN	
ADZUKI BEAN (DRY)	*0.05
BROAD BEAN (DRY)	*0.05
CARROT	0.5
CEREAL GRAINS	*0.05
CHICK-PEA (DRY)	*0.05
COWPEA (DRY)	*0.05
EDIBLE OFFAL (MAMMALIAN)	*0.05
EGGS	*0.05
FRUIT	*0.05

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

HYACINTH BEAN (DRY)	*0.05
LUPIN (DRY)	*0.05
MEAT (MAMMALIAN)	*0.05
MILKS	*0.05
MUNG BEAN (DRY)	*0.05
OILSEED	*0.05
POULTRY, EDIBLE OFFAL OF	*0.05
POULTRY MEAT	*0.05
SUGAR CANE	*0.05
VEGETABLES [EXCEPT CARROT]	*0.05
TRIFORINE	
TRIFORINE	
POME FRUITS	1
STONE FRUITS	10
TRIMETHOPRIM	
TRIMETHOPRIM	
CATTLE MILK	0.05
EDIBLE OFFAL (MAMMALIAN)	0.05
MEAT (MAMMALIAN)	0.05
POULTRY, EDIBLE OFFAL OF	0.05
POULTRY MEAT	0.05
TRITICONAZOLE	
TRITECONAZOLE	
CEREAL GRAINS	0.05
EDIBLE OFFAL (MAMMALIAN)	0.05
EGGS	0.05
MEAT (MAMMALIAN)	0.05
TYLOSIN	
TYLOSIN	
CATTLE, EDIBLE OFFAL OF	*0.1
CATTLE MEAT	*0.1
EGGS	*0.2
MILKS	*0.05
PIG, EDIBLE OFFAL OF	*0.2
PIG FAT	*0.1
PIG MEAT	*0.2
POULTRY, EDIBLE OFFAL OF	*0.2
POULTRY FATS	*0.1

POULTRY MEAT	*0.2
UNICONAZOLE-P	
NO RESIDUE DEFINITION	
AVOCADO	0.02
VAMIDOTHION	
SUM OF VAMIDOTHION, ITS SULFOXIDE AND SULFONE, EXPRESSED AS VAMIDOTHION	
APPLE	1
BRASSICA (COLE OR CABBAGE) VEGETABLES	0.5
PEACH	1
PEAR	1
POTATO	0.5
VERNOLATE	
VERNOLATE	
PEANUT	*0.1
SOYA BEAN (DRY)	*0.1
VINCLOZOLIN	
SUM OF VINCLOZOLIN AND ALL METABOLITES CONTAINING 3-5 – DICHLOROROANILINE MOIETY, EXPRESSED AS VINCLOZOLIN	
GRAPES	T5
VIRGINIAMYCIN	
INHIBITORY SUBSTANCE, IDENTIFIED AS VIRGINIAMYCIN	
CATTLE, EDIBLE OFFAL OF	0.2
CATTLE FAT	0.2
CATTLE MILK	0.1
CATTLE MEAT	*0.1
EGGS	*0.1
PIG, EDIBLE OFFAL OF	0.2
PIG FAT	0.2
PIG MEAT	*0.1
POULTRY, EDIBLE OFFAL OF	0.2
POULTRY FATS	0.2
POULTRY MEAT	0.1

SCHEDULE 1 – MAXIMUM RESIDUE LIMITS

ZERANOL	
ZERANOL	
CATTLE, EDIBLE OFFAL OF	0.02
CATTLE MEAT	0.005
ZINEB	
<i>SEE DITHIOCARBAMATES</i>	
ZIRAM	
SEE DITHIOCARBAMATES	

SCHEDULE 2 – EXTRANEOUS RESIDUE LIMITS

Aldrin and Dieldrin		EGGS	E0.1
SUM OF HHDN AND HEOD		FISH	E0.01
ASPARAGUS	E0.1	MEAT (MAMMALIAN) (IN THE FAT)	E0.3
BANANA	E0.05	MILKS (IN THE FAT)	E0.1
BRASSICA (COLE OR CABBAGE) VEGETABLES	E0.1	MOLLUSCS, INCLUDING CEPHALOPODS	E0.01
CARROT	E0.1	PEANUT	E0.1
CEREAL GRAINS	E0.02	POULTRY, EDIBLE OFFAL OF	E0.3
CITRUS FRUITS	E0.05	POULTRY MEAT (IN THE FAT)	E0.3
CRUSTACEANS	E0.1	SUGAR CANE	E0.005
CUCUMBER	E0.1	CHLORDANE	
DIADROMOUS FISH	E0.1	SUM OF CIS- AND TRANS-CHLORDANE AND IN THE CASE OF ANIMAL PRODUCTS ALSO INCLUDES 'OXYCHLORDANE'	
EDIBLE OFFAL (MAMMALIAN)	E0.2	CEREAL GRAINS	E0.02
EGG PLANT	E0.1	CITRUS FRUITS	E0.02
EGGS	E0.1	COTTON SEED OIL, CRUDE	E0.05
FRESHWATER FISH	E0.1	COTTON SEED OIL, EDIBLE	E0.02
FRUIT	E0.05	CRUSTACEANS	E0.05
HORSERADISH	E0.1	EDIBLE OFFAL (MAMMALIAN)	E0.2
LETTUCE, HEAD	E0.1	EGGS	E0.02
LETTUCE, LEAF	E0.1	FISH	E0.05
MARINE FISH	E0.1	FRUITING VEGETABLES, CUCURBITS	E0.05
MEAT (MAMMALIAN) (IN THE FAT)	E0.2	LINSEED OIL, CRUDE	E0.05
MILKS (IN THE FAT)	E0.1	MEAT (MAMMALIAN) (IN THE FAT)	E0.2
MOLLUSCS, INCLUDING CEPHALOPODS	E0.1	MILKS (IN THE FAT)	E0.05
ONION, BULB	E0.1	MOLLUSCS, INCLUDING CEPHALOPODS	E0.05
PARSNIP	E0.1	PINEAPPLE	E0.02
PEANUT	E0.05	POME FRUITS	E0.02
PEPPERS, SWEET	E0.1	SOYA BEAN OIL, CRUDE	E0.05
PIMENTO, FRUIT	E0.1	SOYA BEAN OIL, REFINED	E0.02
POTATO	E0.1	STONE FRUITS	E0.02
POULTRY, EDIBLE OFFAL OF	E0.2	SUGAR BEET	E0.1
POULTRY MEAT (IN THE FAT)	E0.2	VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	E0.02
RADISH	E0.1	DDT	
RADISH LEAVES (INCLUDING RADISH TOPS)	E0.1	SUM OF P,P'-DDT; O,P'-DDT; P,P'-DDE AND P,P'-TDE (DDD)	
SUGAR CANE	E0.01	CEREAL GRAINS	E0.1
BHC (OTHER THAN THE GAMMA ISOMER, LINDANE)		CRUSTACEANS	E1
SUM OF ISOMERS OF 1,2,3,4,5,6-HEXACHLOROCYCLOHEXANE, OTHER THAN LINDANE			
CEREAL GRAINS	E0.1		
CRUSTACEANS	E0.01		
EDIBLE OFFAL (MAMMALIAN)	E0.3		

SCHEDULE 2 – EXTRANEEOUS RESIDUE LIMITS

EDIBLE OFFAL (MAMMALIAN)	E5	EGGS	E0.05
EGGS	E0.5	FISH	E0.05
FISH	E1	MEAT (MAMMALIAN) (IN THE FAT)	E0.2
FRUIT	E1	MILKS (IN THE FAT)	E0.15
MEAT (MAMMALIAN) (IN THE FAT)	E5	MOLLUSCS, INCLUDING CEPHALOPODS	E0.05
MILKS (IN THE FAT)	E1.25	PEANUT	E0.01
MOLLUSCS, INCLUDING CEPHALOPODS	E1	PINEAPPLE	E0.01
PEANUT	E0.02	POULTRY, EDIBLE OFFAL OF	E0.2
POULTRY, EDIBLE OFFAL OF	E5	POULTRY MEAT	E0.2
POULTRY MEAT (IN THE FAT)	E5	SOYA BEAN	E0.02
VEGETABLE OILS, EDIBLE	E1	SOYA BEAN OIL, CRUDE	E0.5
VEGETABLES	E1	SOYA BEAN OIL, REFINED	E0.02
HCB		SUGAR CANE	E0.02
HEXACHLOROENZENE		TOMATO	E0.02
CEREAL GRAINS	E0.05	VEGETABLES [EXCEPT AS OTHERWISE LISTED UNDER THIS CHEMICAL]	E0.05
CRUSTACEANS	E0.1	LINDANE	
DIADROMOUS FISH	E0.1	LINDANE	
EDIBLE OFFAL (MAMMALIAN)	E1	APPLE	E2
EGGS	E1	CEREAL GRAINS	E0.5
FRESHWATER FISH	E0.1	CHERRIES	E0.5
MARINE FISH	E0.1	CRANBERRY	E3
MEAT (MAMMALIAN) (IN THE FAT)	E1	CRUSTACEANS	E1
MILKS (IN THE FAT)	E0.5	EDIBLE OFFAL (MAMMALIAN)	E2
MOLLUSCS, INCLUDING CEPHALOPODS	E0.1	EGGS	E0.1
PEANUT	E0.01	FISH	E1
POULTRY, EDIBLE OFFAL OF	E1	GRAPES	E0.5
POULTRY MEAT (IN THE FAT)	E1	MOLLUSCS, INCLUDING CEPHALOPODS	E1
HEPTACHLOR		OILSEED [EXCEPT PEANUT]	E0.05
SUM OF HEPTACHLOR AND HEPTACHLOR EPOXIDE		PEACH	E2
CARROT	E0.2	PEANUT	E0.05
CEREAL GRAINS	E0.02	PLUMS (INCLUDING PRUNES)	E0.5
CITRUS FRUITS	E0.01	POULTRY, EDIBLE OFFAL OF	E0.7
COTTON SEED	E0.02	POULTRY MEAT (IN THE FAT)	E0.7
CRUSTACEANS	E0.05	STRAWBERRY	E3
EDIBLE OFFAL (MAMMALIAN)	E0.2	SUGAR CANE	E*0.002
		VEGETABLES	E2

SCHEDULE 3 – CHEMICAL GROUPS

Group	Chemicals
Group A	Aldrin, Dieldrin, Endosulfan, Heptachlor
Group B	BHC and its isomers, DDT, Dicofol, Fenarimol, Lindane, Quintozene
Group C	Azamethiphos, Azinphos-ethyl, Azinphos-methyl, Coumaphos, Demeton, Diazinon, Dichlorvos, Dimethoate, Disulfoton, Dithianon, Ethion, Ethoprophos, Famphur, Fenamiphos, Fenchlorphos, Fenitrothion, Fenthion, Formothion, Maldison, Methamidophos, Methidathion, Mevinphos, Monocrotophos, Naphthalophos, Omethoate, Parathion, Parathion-methyl, Phorate, Phosmet, Pirimiphos-ethyl, Pirimiphos-methyl, Prothiophos, Pyrazophos, Sulprofos, Temephos, Tetrachlorvinphos, Thiometon, Tributylphosphorotrithioate, Trichlorfon, Vamidothion
Group D	Mancozeb, Metiram, Propineb, Thiram, Zineb, Ziram
Group E	2,4-D, Diclofop-methyl, MCPA, MCPB, Picloram
Group F	Aldicarb, Bendiocarb, Carbaryl, Iprodione, Methomyl, Oxamyl, Phenisopham, Promacyl, Promecarb, Propoxur, Thiobencarb
Group G	Diuron, Fluometuron, Linuron, Methabenzthiazuron, Thidiazuron
Group H	Parbendazole, Thiabendazole
Group I	Benomyl, Carbendazim, Thiophanate, Thiophanate-methyl
Group J	Ametryn, Atrazine, Cyanazine, Metribuzin, Prometryn, Propazine, Simazine, Terbutryn
Group K	Metolachlor, Propachlor
Group L	Chlormequat, Diquat, Paraquat
Group M	Captan
Group N	Ethylene dibromide (EDB), Ethylene dichloride, Methyl bromide, Trichloroethylene
Group O	Fenbutatin Oxide
Group P	Bioresmethrin, Cypermethrin, Deltamethrin, Fenvalerate, Permethrin, Pyrethrins
Group Q	Etridiazole
Group R	Dithiocarbamates, Mancozeb, Metham, Metiram, Propineb, Thiram, Ziram

SCHEDULE 4 - FOODS AND CLASSES OF FOOD

ANIMAL FOOD COMMODITIES

MAMMALIAN PRODUCTS

Meat (mammalian)

Meats are the muscular tissues, including adhering fatty tissues such as intramuscular, intermuscular and subcutaneous fat from animal carcasses or cuts of these as prepared for wholesale or retail distribution. Meat (mammalian) includes farmed and game meat. The cuts offered may include bones, connective tissues and tendons as well as nerves and lymph nodes. It does not include edible offal. The entire commodity except bones may be consumed.

Commodities: Buffalo meat; Camel meat; Cattle meat; Deer meat; Donkey meat; Goat meat; Hare meat; Horse meat; Kangaroo meat; Pig meat; Possum meat; Rabbit meat; Sheep meat; Wallaby meat.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity (without bones). When the commodity description is qualified by (in the fat) a proportion of adhering fat is analysed and the MRLs apply to the fat.

Edible offal (mammalian)

Edible offal is the edible tissues and organs other than muscles and animal fat from slaughtered animals as prepared for wholesale or retail distribution. Edible offal includes brain, heart, kidney, liver, pancreas, spleen, thymus, tongue and tripe. The entire commodity may be consumed.

Commodities: Buffalo, edible offal of; Cattle, edible offal of; Camel, edible offal of; Deer, edible offal of; Donkey, edible offal of; Goat, edible offal of; Hare, edible offal of; Horse, edible offal of; Kangaroo, edible offal of; Pig, edible offal of; Possum, edible offal of; Rabbit, edible offal of; Sheep, edible offal of; Wallaby, edible offal of.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Fats (mammalian)

Mammalian fats, excluding milk fats are derived from the fatty tissues of animals (not processed). The entire commodity may be consumed.

Commodities: Buffalo fat; Camel fat; Cattle fat; Goat fat; Horse fat; Pig fat; Rabbit fat; Sheep fat.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Milks

Milks are the mammary secretions of various species of lactating herbivorous ruminant animals.

Commodities: Buffalo milk; Camel milk; Cattle milk; Goat milk; Sheep milk.

The entire commodity may be consumed.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity. When an MRL for cattle milk or milks is qualified by '(in the fat)' the compound is regarded as

fat-soluble, and the MRL applies to the fat portion of the milk. In the case of a derived or a manufactured milk product with a fat content of 2% or more, the MRL also applies to the fat portion. For a milk product with fat content less than 2%, the MRL applied should be 1/50 that specified for 'milk (in the fat)', and should apply to the whole product.

POULTRY

Poultry meat

Poultry meats are the muscular tissues, including adhering fat and skin, from poultry carcasses as prepared for wholesale or retail distribution. The entire product may be consumed. Poultry meat includes farmed and game poultry.

Commodities: Chicken meat; Duck meat; Emu meat; Goose meat; Guinea-fowl meat; Ostrich meat; Partridge meat; Pheasant meat; Pigeon meat; Quail meat; Turkey meat.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity (without bones). When the commodity description is qualified by (in the fat) a proportion of adhering fat is analysed and the MRLs apply to the fat.

Poultry, edible Offal

Poultry edible offal is the edible tissues and organs, other than poultry meat and poultry fat, as prepared for wholesale or retail distribution and include liver, gizzard, heart, skin. The entire product may be consumed.

Commodities: Chicken, edible offal of; Duck, edible offal of; Emu, edible offal of; Goose, edible offal of; Ostrich, edible offal of; Turkey, edible offal of.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Note that poultry meat includes any attached skin, but poultry skin on its own (not attached) is considered as 'poultry edible offal'.

Poultry fats

Poultry fats are derived from the fatty tissues of poultry (not processed). The entire product may be consumed.

Commodities: Chicken fat; Duck fat; Goose fat; Turkey fat.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Eggs

Eggs are the reproductive bodies laid by female birds, especially domestic fowl. The edible portion includes egg yolk and egg white after removal of the shell.

Commodities: Chicken eggs; Duck eggs; Goose eggs; Quail eggs.

Portion of the commodity to which the MRL applies (and which is analysed): whole egg whites and yolks combined after removal of shell.

FISH, CRUSTACEANS AND MOLLUSCS

Fish includes freshwater fish, diadromous fish and marine fish.

Diadromous fish

Diadromous fish include species which migrate from the sea to brackish and/or fresh water and in the opposite direction. Some species are domesticated and do not migrate. The fleshy parts of the animals and, to a lesser extent, roe and milt are consumed.

Commodities: Barramundi; Salmon species; Trout species; Eel species

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity including bones and head (in general after removing the digestive tract).

Freshwater fish

Freshwater fish include a variety of species which remain lifelong, including the spawning period, in fresh water. Several species of freshwater fish are domesticated and bred in fish farms. The fleshy parts of the animals and, to a lesser extent, roe and milt are consumed.

Commodities: a variety of species

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity including bones and head (in general after removing the digestive tract).

Marine fish

Marine fish generally live in open seas and are almost exclusively wild species. The fleshy parts of the animals and, to a lesser extent, roe and milt are consumed.

Commodities: a variety of species.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity including bones and head (in general after removing the digestive tract).

Molluscs

Molluscs includes Cephalopods and Coelenterates. Cephalopods and Coelenterates are various species of aquatic animals, wild or cultivated, which have an inedible outer or inner shell (invertebrates). A few species of cultivated edible land snails are included in this group. The edible aquatic molluscs live mainly in brackish water or in the sea.

Commodities: Clams; Cockles; Cuttlefish; Mussels; Octopus; Oysters; Scallops; Sea-cucumbers; Sea urchins; Snails, edible; Squids.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removal of shell.

Crustaceans

Crustaceans include various species of aquatic animals, wild and cultivated, which have an inedible chitinous outer shell. A small number of species live in fresh water, but most species live in brackish water and/or in the sea.

Crustaceans are largely prepared for wholesale and retail distribution after catching by cooking or parboiling and deep freezing.

Commodities: Crabs; Crayfish; Lobsters; Prawns; Shrimps.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity or the meat without the outer shell, as prepared for wholesale and retail distribution.

HONEY AND OTHER MISCELLANEOUS PRIMARY FOOD COMMODITIES OF ANIMAL ORIGIN

Honey

Commodity: Honey.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

CROP COMMODITIES

FRUIT

Tropical and sub-tropical fruit - edible peel

Tropical and sub-tropical fruits - edible peel are derived from the immature or mature fruits of a large variety of perennial plants, usually shrubs or trees. The fruits are fully exposed to pesticides applied during the growing season.

The whole fruit may be consumed in a succulent or processed form.

Commodities: Ambarella; Arbutus berry; Babaco; Barbados cherry; Bilimbi; Brazilian cherry (Grumichama); Carambola; Caranda; Carob; Cashew apple; Chinese olive; Coco plum; Cumquats; Date; Fig; Hog plum; Jaboticaba; Jujube; Natal plum; Olives; Otaheite gooseberry; Persimmon, Japanese; Pomerac; Rose apple; Sea grape; Surinam cherry; Tree tomato (Tamarillo).

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity. Dates and olives: Whole commodity after removal of stems and stones but residue calculated and expressed on the whole fruit.

Tropical and sub-tropical fruit - inedible peel

Tropical and sub-tropical fruits - inedible peel are derived from the immature or mature fruits of a large variety of perennial plants, usually shrubs or trees. Fruits are fully exposed to pesticides applied during the growing season but the edible portion is protected by skin, peel or husk. The edible part of the fruits may be consumed in a fresh or processed form.

Commodities: Akee apple; Avocado; Banana (includes banana dwarf); Bread fruit; Canistel; Cherimoya; Custard apple; Doum; Durian; Elephant fruit; Feijoa; Guava; Ilama; Jackfruit; Jambolan; Java apple; Kiwifruit; Longan; Litchi; Mammy apple; Mango; Mangosteen; Marmalade box; Mombin, yellow; Naranjilla; Passionfruit; Papaya (Pawpaw); Persimmon, American; Pineapple; Plantain; Pomegranate; Prickly pear; Pulasan; Rambutan; Rollinia; Sapodilla; Sapote, black; Sapote, green; Sapote, mammey; Sapote, white; Sentul; Soursop; Spanish lime; Star apple; Sugar apple; Tamarind; Tonka bean.

Portion of the commodity to which the MRL applies (and which is analysed): whole fruit. Avocado, mangos and similar fruit with hard seeds: whole commodity after removal of stone but calculated on whole fruit. Banana: whole commodity after removal of any central stem and peduncle. Pineapple: after removal of crown.

Berries And Other Small Fruits

Berries and other small fruits are derived from a variety of perennial plants and shrubs having fruit characterised by a high surface to weight ratio. The fruits are fully exposed to pesticides applied during the growing season. The entire fruit, often including seed, may be consumed in a succulent or processed form.

Commodities: Bilberry; Blackberries; Blueberries; Cranberry; Currants, black, red, white; Dewberries (including Boysenberry, Loganberry and Youngberry); Elderberries; Gooseberry; Grapes; Juneberries; Mulberries; Raspberries, Red, Black; Rose hips; Strawberry; Vaccinium berries.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removal of caps and stems. Currants: fruit with stem.

Citrus fruits

Citrus fruits are produced on trees and shrubs of the family Rutaceae. These fruits are characterised by aromatic oily peel, globular form and interior segments of juice-filled vesicles. The fruit is fully exposed to pesticides applied during the growing season. Post-harvest treatments with pesticides and liquid waxes are often carried out to avoid deterioration due to fungal diseases, insect pests or loss of moisture. The fruit pulp may be consumed in succulent form and as a juice. The entire fruit may be used for preserves.

Commodities: Citron; Grapefruit; Lemon; Lime; Mandarins; Oranges, sweet, sour; Shaddock (Pomelo); Tangelo; Tangors.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Pome fruits

Pome fruits are produced on trees and shrubs belonging to certain genera of the rose family (Rosaceae), especially the genera Malus and Pyrus. They are characterised by fleshy tissue surrounding a core consisting of parchment-like carpels enclosing the seeds.

Pome fruits are fully exposed to pesticides applied during the growing season. Post-harvest treatments directly after harvest may also occur. The entire fruit, except the core, may be consumed in the succulent form or after processing.

Commodities: Apple; Crab-apple; Loquat; Medlar; Pear; Quince.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removal of stems.

Stone fruits

Stone fruits are produced on trees belonging to the genus Prunus of the family Rosaceae. They are characterised by fleshy tissue surrounding a single hard shelled seed. The entire fruit, except the seed, may be consumed in a succulent or processed form. The fruit is fully exposed to pesticides applied during the growing season. Dipping of fruit immediately after harvest, especially with fungicides, may also occur.

Commodities: Apricot; Cherries; Nectarine; Peach; Plums*.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removal of stems and stones, but the residue calculated and expressed on the whole commodity without stem.

*where plums is specified as '(including Prunes)' it includes all relevant prunes.

VEGETABLES

Brassica (cole or cabbage) vegetables

Cole vegetables (cabbage and flowerhead brassicas) are foods derived from the leafy heads and stems of plants belonging to the genus Brassica of the family Cruciferae. The edible part of the crop is partly protected from pesticides applied during the growing season by outer leaves, or skin. The entire vegetable after discarding obviously decomposed or withered leaves may be consumed.

Commodities: Broccoli; Broccoli, Chinese; Brussels sprouts; Cabbages, head; Cauliflower; Kohlrabi.

Portion of the commodity to which the MRL applies (and which is analysed): Head cabbages and kohlrabi, whole commodity as marketed, after removal of obviously decomposed or withered leaves. Cauliflower and broccoli: flower heads (immature inflorescence only). Brussels sprouts: 'buttons' only.

Bulb Vegetables

Bulb vegetables are pungent, highly flavoured bulbous vegetables derived from fleshy scale bulbs of the genus Allium of the lily family (Liliaceae). Bulb fennel has been included in this group as the bulb-like growth of this commodity gives rise to similar residues. The subterranean parts of the bulbs and shoots are protected from direct exposure to pesticides during the growing season. Although chives are alliums they have been classified with herbs. The entire bulb may be consumed after removal of the parchment-like skin. The leaves and stems of some species or cultivars may also be consumed.

Commodities: Fennel, bulb; Garlic; Leek; Onion, bulb; Onion, Chinese; Onion, Welsh; Shallot; Spring onion; Tree onion.

Portion of the commodity to which the MRL applies (and which is analysed): Bulb/dry. Onions and garlic: Whole commodity after removal of roots and adhering soil and whatever parchment skin is easily detached. Leeks and spring onions: Whole vegetable after removal of roots and adhering soil.

Fruiting vegetables, cucurbits

Fruiting vegetables, Cucurbits are derived from the immature and mature fruits of various plants, belonging to the botanical family Cucurbitaceae. These vegetables are fully exposed to pesticides during the period of fruit development. The edible portion of those fruits of which the inedible peel is discarded before consumption is protected from most pesticides by the skin or peel, except from pesticides with a systemic action.

The entire fruiting vegetable or the edible portion after discarding the inedible peel may be consumed in the fresh form or after processing.

Commodities: Balsam apple; Balsam pear; Bottle gourd; Chayote; Cucumber; Gherkin; Loofah; Melons, except Watermelon; Pumpkins; Snake gourd; Squash, summer (including Zucchini); Squash, winter; Watermelon.

Portion of the commodity to which the MRL applies (and which is analysed): Whole commodity after removal of stems.

Fruiting vegetables, other than cucurbits

Fruiting vegetables, other than Cucurbits are derived from the immature and mature fruits of various plants, usually annual vines or bushes. The group includes edible fungi and mushrooms, being comparable organs of lower plants. The entire fruiting vegetable or the edible portion after discarding husks or peels may be consumed in a fresh form or after processing. The vegetables of this group are fully exposed to pesticides applied during the period of fruit development, except those of which the edible portion is covered by husks, such as sweet corn.

Commodities: Cape gooseberry (ground cherries); Egg plant; Fungi, edible; Mushrooms; Okra; Pepino; Peppers, sweet, Chilli; Roselle; Sweet corn*; Tomato.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removal of stems. Mushrooms: Whole commodity. Sweet corn and fresh corn: kernels plus cob without husk.

*sweet corn is specified as either '(corn-on-the-cob)' to indicate that the MRL is set on the cob plus kernels, or as '(kernels)' to indicate that the MRL is set on the kernels only.

Leafy vegetables (including brassica leafy vegetables)

Leafy vegetables are foods derived from the leaves of a wide variety of edible plants. They are characterised by a high surface to weight ratio. The leaves are fully exposed to pesticides applied during the growing season. The entire leaf may be consumed either fresh or after processing.

Commodities: Amaranth; Box thorn; Chard (silver beet); Chervil; Chicory leaves; Chinese cabbage (Pe-tsai); Choisum; Cress, garden; Dandelion; Dock; Endive; Grape leaves; Indian mustard; Japanese greens; Kale; Kangkung; Komatsuma; Lettuce, Head; Lettuce, Leaf; Marsh marigold; Mustard greens; New Zealand spinach; Pak-choi; Pokeweed; Purslane; Radish leaves (including radish tops); Rape greens; Rucola; Sowthistle; Spinach; Turnip greens; Watercress.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removal of obviously decomposed or withered leaves.

Legume vegetables

Legume vegetables are derived from the succulent seed and immature pods of leguminous plants commonly known as beans and peas. Pods are fully exposed to pesticides during the growing season, whereas the succulent seed is protected within the pod from most pesticides, except pesticides with systemic action.

Commodities: Beans, except broad bean and soya bean; Broad bean (green pods and immature seeds); Chick-pea (green pods); Cluster bean (young pods); Common bean (pods and/or immature seeds); Cowpea (immature pods); Garden pea (young pods); Garden pea, shelled; Goa bean (immature pods); Haricot bean (green pods and/or immature seeds); Hyacinth bean (young pods, immature seeds); Lentil (young pods); Lima bean (young pods and/or immature beans); Lupin; Mung bean (green pods); Pigeon pea (green pods and/or young green seeds); Podded pea (young pods); Snap bean (immature seeds); Soya bean (immature seeds); Vetch.

Common bean (pods and/or immature seeds) includes Dwarf bean (immature pods and/or seeds); Field bean (green pods); Flageolet (fresh beans); French bean (immature pods and seeds); Green bean (green pods and immature seeds); Kidney bean (pods and/or immature seeds); Navy bean (young pods and/or immature seeds) and Runner bean (green pods and seeds).

Podded pea (young pods) includes sugar pea (young pods) and snow pea.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity (seed plus pod) unless otherwise specified.

Pulses

Pulses are derived from the mature seeds, naturally or artificially dried, of leguminous plants known as beans (dry) and peas (dry). The seeds in the pods are protected from most pesticides applied during the growing season except pesticides which show a systemic action. There may be registered post harvest treatments for dried peas and beans.

Commodities: Beans (dry); Peas (dry); Adzuki bean (dry); Broad bean (dry); Chick-pea (dry); Common bean (dry); Cowpea (dry); Field pea (dry); Hyacinth bean (dry); Lentil (dry); Lima bean (dry); Lupin (dry); Mung bean (dry); Pigeon pea (dry); Soya bean (dry).

Common bean (dry) includes Dwarf bean (dry); Field bean (dry); Flageolet (dry); Kidney bean (dry); Navy bean (dry).

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity (dried seed only).

Root and tuber vegetables

Root and tuber vegetables are the starchy enlarged solid roots, tubers, corms or rhizomes, mostly subterranean, of various species of plants. The underground location protects the edible portion from most pesticides applied to the aerial parts of the crop during the growing season, however the commodities in this group are exposed to pesticide residues from soil treatments. The entire vegetable may be consumed in the form of fresh or processed foods.

Commodities: Arrowroot; Beetroot; Canna, edible; Carrot; Cassava; Celeriac; Chicory, roots; Horseradish; Jerusalem artichoke; Parsnip; Potato; Radish; Radish, Japanese; Salsify; Scorzonera; Sugar beet; Swede; Sweet potato; Taro; Turnip, garden; Yams.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removing tops. Remove adhering soil (eg by rinsing in running water or by gentle brushing of the dry commodity).

Stalk and stem vegetables

Stalk and stem vegetables are the edible stalks, leaf stems or immature shoots from a variety of annual or perennial plants. Globe artichokes have been included in this group. Depending upon the part of the crop used for consumption and the growing practices, stalk and stem vegetables are exposed, in varying degrees, to pesticides applied during the growing season. Stalk and stem vegetables may be consumed in whole or in part and in the form of fresh, dried or processed foods.

Commodities: Artichoke, globe; Asparagus; Bamboo shoots; Celery; Celtuce; Palm hearts; Rhubarb; Witloof chicory.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removal of obviously decomposed or withered leaves. Rhubarb: leaf stems only. Globe artichoke: flowerhead only. Celery and asparagus: remove adhering soil.

GRASSES

Cereal Grains

Cereal grains are derived from the (heads) of starchy seeds produced by a variety of plants, primarily of the grass family (Gramineae). The edible seeds are protected to varying degrees from pesticides applied during the growing season by husks. Husks are removed before processing and/or consumption. There may be registered post harvest treatments for cereal grains.

Commodities: Barley; Buckwheat; Maize; Millet; Oats; Popcorn; Rice*; Rye; Sorghum; Triticale; Wheat; Wild rice.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity

* 'Rice' means 'Rice in Husk.'

Grasses for sugar or syrup production

Grasses for sugar or syrup production, includes species of grasses with a high sugar content especially in the stem. The stems are mainly used for sugar or syrup production.

Commodities: Sugar cane.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

NUTS AND SEEDS

Tree nuts

Tree nuts are the seeds of a variety of trees and shrubs which are characterised by a hard inedible shell enclosing an oily seed. The seed is protected from pesticides applied during the growing season by the shell and other parts of the fruit. The edible portion of the nut is consumed in succulent, dried or processed forms.

Commodities: Almonds; Beech nuts; Brazil nut; Cashew nut; Chestnuts; Coconut; Hazelnuts; Hickory nuts; Japanese horse-chestnut; Macadamia nuts; Pecan; Pine nuts; Pili nuts; Pistachio nuts; Sapucaia nut; Walnuts.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removal of shell. Chestnuts: whole in skin.

Oilseed

Oilseed consists of seeds from a variety of plants used in the production of edible vegetable oils. Some oilseeds are used directly, or after slight processing, as food or for food flavouring. Oilseeds are protected from pesticides applied during the growing season by the shell or husk.

Commodities: Acacia seed; Cotton seed; Linseed; Mustard seed; Palm nut; Peanut; Plantago ovata seed; Poppy seed; Rape seed; Safflower seed; Sesame seed; Sunflower seed.

Portion of the commodity to which the MRL applies (and which is analysed): seed or kernels, after removal of shell or husk.

Seed for beverages and sweets

Seeds for beverages and sweets are derived from tropical and sub-tropical trees and shrubs.

These seeds are protected from pesticides applied during the growing season by the shell or other parts of the fruit.

Commodities: Cacao beans; Coffee beans; Cola nuts.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

HERBS AND SPICES

Herbs

Herbs consist of leaves, flowers, stems and roots from a variety of herbaceous plants, used in relatively small amounts as condiments to flavour foods or beverages. They are used either in fresh or naturally dried form. Herbs are fully exposed to pesticides applied during the growing season. There may be registered post-harvest treatments for dried herbs.

Commodities: Angelica; Balm leaves (*Melissa officinalis*); Basil; Bay leaves; Burnet, great (*Banguisorba officinalis*); Burnet, salad; Burning bush (*Dictamnus albus*); Catmint; Celery leaves; Chives; Curry leaves; Dill (*Anethum graveolens*); Fennel; Hops; Horehound; Hyssop; Kaffir lime leaves; Lavender; Lemon balm; Lemon grass; Lemon verbena; Lovage; Marigold flowers (*Calendula officinalis*); Marjoram; Mints; Mizuna; Nasturtium leaves (*Tropaeolum majus* L.); Parsley; Rosemary; Rue (*Ruta graveolens*); Sage; Sassafras leaves; Savoury, summer, winter; Sorrel; Sweet cicely; Tansy; Tarragon; Thyme; Winter cress; Wintergreen leaves (*Gaultheria procumbens* L.); Woodruff (*Asperula odorata*); Wormwoods (*Artemisia* spp).

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Spices

Spices consist of the aromatic seeds, roots, berries or other fruits from a variety of plants, which are used in relatively small quantities to flavour foods. Spices are exposed in varying degrees to pesticides applied during the growing season. There may be registered post harvest treatments for dried spices.

Commodities: Angelica seed; Anise seed; Calamus root; Caper buds; Caraway seed; Cardamom seed; Cassia buds; Celery seed; Cinnamon bark; Cloves; Coriander, seed; Cumin seed; Dill seed; Elecampane root; Fennel seed; Fenugreek seed; Galangal, rhizomes; Ginger, root; Grains of paradise; Juniper berry; Licorice root; Lovage seed; Mace; Nasturtium pods; Nutmeg; Pepper, black, white; Pepper, long; Pimento, fruit; Tonka bean; Turmeric, root; Vanilla, beans.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

PROCESSED FOODS OF PLANT AND ANIMAL ORIGIN

DERIVED EDIBLE COMMODITIES OF PLANT ORIGIN

'Derived edible products' are foods or edible substances isolated from primary food commodities or raw agricultural commodities using physical, biological or chemical processing. This includes groups such as vegetable oils (crude and refined), by-products of the fractionation of cereals and teas (fermented and dried).

Cereal grain milling fractions

This group includes milling fractions of cereal grains at the final stage of milling and preparation in the fractions, and includes processed brans.

Commodities: Cereal brans, processed; Maize flour; Maize meal; Rice bran, processed; Rye bran, processed; Rye flour; Rye wholemeal; Wheat bran, processed; Wheat germ; Wheat flour; Wheat wholemeal.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Tea

Teas are derived from the leaves of several plants, principally *Camellia sinensis*. They are used mainly in a fermented and dried form or only as dried leaves for the preparation of infusions.

Commodities: Tea, green, black

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Vegetable oils, crude

This group includes the crude vegetable oils derived from oil seed, tropical and sub-tropical oil-containing fruits such as olives, and some pulses. Exposure to pesticides is through pre-harvest treatment of the relevant crops or post-harvest treatment of the oilseeds or oil-containing pulses.

Commodities: Vegetable oils, crude; Cotton seed oil, crude; Coconut oil, crude; Maize oil, crude; Linola oil, crude; Olive oil, crude; Palm oil, crude; Palm kernel oil, crude; Peanut oil, crude; Rape seed oil, crude; Safflower seed oil, crude; Sesame seed oil, crude; Soya bean oil, crude.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Vegetable oils, edible

Vegetable oils, edible are derived from the crude oils through a refining and/or clarifying process. Exposure to pesticides is through pre-harvest treatment of the relevant crops or post-harvest treatment of the oilseeds or oil-containing pulses.

Commodities: Vegetable oils, edible; Cotton seed oil, edible; Coconut oil, refined; Linola oil, edible; Maize oil, edible; Olive oil, refined; Palm oil, edible; Palm kernel oil, edible; Peanut oil, edible; Rape seed oil, edible; Safflower seed oil, edible; Sesame seed oil, edible; Soya bean oil, refined; Sunflower seed oil, edible.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Manufactured multi-ingredient cereal products

The commodities of this group are manufactured with several ingredients; products derived from cereal grains however form the major ingredient.

Commodities: Bread and other cooked cereal products; Maize bread; Rye bread; White bread; Wholemeal bread.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Miscellaneous

Commodities: Olives, processed; Peppermint oil; Sugar cane molasses.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

SECONDARY COMMODITIES OF PLANT ORIGIN

The term 'Secondary food commodity' refers to a primary food commodity which has undergone simple processing, such as removal of certain portions, drying (except natural drying), husking, and comminution, which do not basically alter the composition or identity of the product. For the commodities referred to in dried fruits, dried vegetables and dried herbs refer to the commodity groupings for fruits, vegetables and herbs. Naturally field dried mature crops such as pulses or cereal grains are not considered as secondary food commodities.

Dried fruits

Dried fruits are generally artificially dried. Exposure to pesticides may arise from pre-harvest application, post-harvest treatment of the fruits before processing, or treatment of the dried fruit to avoid losses during transport and distribution.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity after removal of stones, but the residue is calculated on the whole commodity.

Dried herbs

Dried herbs are generally artificially dried and often comminuted. Exposure to pesticides is from pre-harvest applications and/or treatment of the dry commodities.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Dried vegetables

Dried vegetables are generally artificially dried and often comminuted. Exposure to pesticides is from pre-harvest application and/or treatment of the dry commodities.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Milled cereal products (early milling stages)

The group 'milled cereal products (early milling stages)' includes the early milling fractions of cereal grains, except buckwheat, such as husked rice, polished rice and the unprocessed cereal grain brans. Exposure to pesticides is through pre-harvest treatments of the growing cereal grain crop and especially through post-harvest treatment of cereal grains.

Commodities: Bran, unprocessed; Rice bran, unprocessed; Rice, husked; Rice, polished; Rye bran, unprocessed; Wheat bran, unprocessed.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

SECONDARY COMMODITIES OF ANIMAL ORIGIN

The term 'secondary food commodity' refers to a primary food commodity which has undergone simple processing, such as removal of certain portions, drying, and comminution, which do not basically alter the composition or identity of the commodity.

Animal fats, processed

This group includes rendered or extracted (possibly refined and/or clarified) fats from mammals and poultry and fats and oils derived from fish.

Commodities: Tallow and lard from cattle, goats, pigs and sheep; Poultry fats, processed.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Dried meat and fish products

For the commodities referred to in dried meat and dried fish products refer to the commodity groupings for meat and fish. Dried meat and fish products includes naturally or artificially dried meat products and dried fish, mainly marine fish.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.

Milk fats

Milk fats are the fatty ingredients derived from the milk of various mammals.

Portion of the commodity to which the MRL applies (and which is analysed): whole commodity.